

The background image shows a sophisticated lounge or bar interior. The ceiling is a complex grid of dark, textured panels with recessed circular lights. The walls are dark, with large, glowing rectangular panels that provide a warm, orange light. In the center, a fireplace with a dark metal grate contains a small fire. To the right, a long, low bar with a similar glowing panel is visible. In the foreground, the backs of several plush, dark-colored armchairs are visible, arranged around a small, round, light-colored table. A tall, thin plant is on the right side of the frame.

trueTM

PRODUCT CATALOG

WHERE LIGHT
MEETS PURPOSE
AND DESIGN MAKES
IT TRUE.

2026

ABOUT TRUE

True is an architectural lighting brand built on the belief that lighting should perform with clarity, precision, and purpose. With years of expertise in the industry, we create lighting solutions that seamlessly combine technical performance with refined design aesthetics.

From hospitality and commercial spaces to residential and large-scale architectural projects, our products are designed to enhance how spaces look, feel, and function.

Backed by in-house research, product development, manufacturing, and quality testing, every True product is engineered to deliver reliability, consistency, and long-term performance. We work closely with architects, interior designers, consultants, and developers to create lighting solutions that meet modern architectural demands while staying true to specifications.

With a growing dealer network across India and an expanding global presence, True continues to illuminate spaces through thoughtful innovation, dependable quality, and design-led engineering.



trueTM


We stands for clarity in design, engineering & execution. Because good lighting is not just about how a space looks, it is about how effectively it works.

WHAT'S INSIDE



INDOOR LIGHTS

01.	Smuge Series		1
02.	Bespoke Series		4
03.	Amber Series		44
04.	Clay & Washer		53
05.	Architectural Cobs		58
05.	Surface Cylinder, Wall Washers, Tracks		144
06.	Diffused Lights		183

07.	Laser Blades		189
08.	Modular Series		211
09.	Retrofits		214
10.	Strips, SMPs, Remote		217
OUTDOOR LIGHTS			
11.	Outdoor Series		222

SMUGE SERIES

W150 X H60 X L47MM (5W) | W130 X H130 X L70MM (9W) |
W175 X H100 X L70MM (10W)

SMUGE

A versatile recessed spotlight with a multi-cell design and adjustable orientation, delivering controlled, glare-free illumination with a clean architectural finish. Ideal for retail stores, galleries, offices, hotels and residences.

WATTAGES



5W | 9W |
10W

COLOR
TEMPERATURE



3K / 4K

CRI



80+

BEAM
ANGLES




36°

BODY
COLOURS



WH BK SAND

CUTOUT



140 × 35mm |
110 × 90mm |
155 × 65mm



5W



9W



10W





W145 X H45 X L85MM (5W) | W104 X 85 X 70MM (9W) | 65 X 151 X 70mm (10W)

SMUGE-SF

A surface-mounted version designed for spaces where recessed installation is not possible, combining focused illumination with flexible positioning. Ideal for commercial spaces, showrooms, hospitality, offices and modern residences.

WATTAGES



5W | 9W |
10W

COLOR TEMPERATURE



3K / 4K

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



WH BK SAND



5W



9W



10W

BESPOKE SERIES




PRISMATIC
DIFFUSED



GLARE
FREE



DEEP
RECESSED



15W

30W

L305 X 23 X H25 | FULL H45MM (15W) |
L604 X 23 X H25 | FULL H 45MM (30W) |

BESPOKE LINEAR 20MM

A sleek linear lighting solution delivering wide, uniform and glare-controlled illumination within a minimal 20mm profile. Ideal for offices, retail stores, hotels, residences and continuous architectural lighting.

900x22x25mm (40W)

WATTAGES



15W | 30W |
40W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



120°

BODY
COLOURS



BK

L122 X 23 X H25 | FULL H45MM (6W) |
L235 X 23 X H25 | FULL H45MM (12W)

BESPOKE LAZER 20MM

A compact linear module designed for precise, focused and glare-free illumination while maintaining a clean ceiling aesthetic. Ideal for retail displays, galleries, hospitality spaces, corridors and accent lighting.

WATTAGES



6W | 12W |
18W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BK



GLARE
FREE



DEEP
RECESSED

6W

12W

L125 X 23 X H87 | FULL H105MM (6W) |
L235 X 23 X H87 | FULL H105MM (12W)

BESPOKE LAZER-M 20MM

A high-performance multi-point linear light offering controlled directional illumination with a deep-recessed, glare-free design. Ideal for showrooms, boutiques, galleries, hotels and premium residential spaces.

WATTAGES



6W | 12W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BK



GLARE
FREE



DEEP
RECESSED





BESPOKE TRACK SPOT



BESPOKE RADAR-03 TRACK

BESPOKE TRACK SPOT / RADAR-03 20MM

A flexible spotlight designed to provide focused, directional illumination along a minimal track system. Ideal for retail, exhibitions, galleries, restaurants, residences and display areas.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS
				
7W 10W 15W 18-20W 30W	3K / 4K / 6K / CCT	80+	36°	BK
	3K / 4K / 6K	80+	24° / 36° / 60°	BK

W35 X L81 X H105MM (7W) | W45 X L96 X H104MM (10W) | 45x111mm (15W) | 65x141mm (18W-20W) | 100 x 175mm (30W)



DIA 100MM

GLOBE

A decorative spherical light that combines soft diffused illumination with a clean, contemporary form. Ideal for restaurants, hotel lounges, reception areas, residences and intimate seating spaces.

WATTAGES



7W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



120°

BODY
COLOURS



BK





L1070MM

LASSO

A distinctive flexible linear element that creates soft, continuous illumination while adding a decorative feature to the track system. Ideal for hospitality spaces, lounges, restaurants, residences and statement installations.

WATTAGES



16W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES



120°


BODY COLOURS



BK



ACCESSORIES FOR BESPOKE 20MM

	NAME
NEW 	RECESSED TRACK-1METER
	RECESSED TRACK-2METER
	RECESSED TRACK-3METER
NEW 	SURFACE TRACK-1METER
	SURFACE TRACK-2METER
	SURFACE TRACK-3METER
NEW 	END CAP
NEW 	STRAIGHT JOINTER
	2 WAY JOINTER
	POWER SUPPLY CORD/ 4 WIRE POWER SUPPLY CORD
NEW 	L JOINTER
NEW 	IP 65 POWER SUPPLY 100W
	IP 65 POWER SUPPLY 200W
NEW 	300MM CURVED JOINTER
NEW 	SMPS 48V IP20-100W
	SMPS 48V IP20-200W



115x27x20mm (5W) | 80x80x20mm (9W) |
125x58x20mm (10W)

BESPOKE SMUGE MAGNETIC 20mm

A track-mounted solution offering maximum flexibility to direct and reposition light as requirements change. Ideal for retail displays, galleries, exhibitions, showrooms and other dynamic commercial spaces.

WATTAGES



5W | 9W |
10W

COLOR TEMPERATURE



3K / 4K

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



WH BK SAND






BESPOKE CIRCULAR LINEAR 20mm

A refined circular lighting system that delivers soft, continuous and uniform illumination within a minimal architectural profile. Ideal for hotel lobbies, offices, retail spaces, residences and statement ceiling installations.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS
				
10W	3K / 4K / 6K	80+	120°	BK



BESPOKE CIRCULAR LAZER 20mm

A circular lighting solution with precise individual light points for controlled, glare-free illumination. Ideal for showrooms, galleries, hospitality spaces, premium retail and contemporary residences.

WATTAGES



6W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES




36°

BODY
COLOURS



BK





BESPOKE CIRCULAR TRACK SPOT 20MM

A flexible circular track system with adjustable spotlights for focused and directional illumination. Ideal for retail displays, galleries, restaurants, exhibitions and accent lighting.

WATTAGES



10W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



BK



true®



112x22x25mm (6W)



BESPOKE CIRCULAR LAZER 20mm

A sleek circular aluminium track structure available in surface and recessed configurations, providing a clean foundation for customised lighting arrangements. Ideal for large residences, offices, hotels, showrooms and architectural statement spaces.

SURFACE
600mm
900mm
1200mm
RECESSED
600mm
900mm
1200mm



PHOTO	NAME
	2 WAY JOINTER
	POWER SUPPLY CORD

307 X 13 X 40MM (10W) | 609 X 13 X 40MM (20W)

BESPOKE LINEAR 10MM

A slim linear lighting solution designed to provide soft, uniform and glare-free illumination within an ultra-minimal profile. Ideal for offices, residences, retail spaces, hotels and contemporary architectural interiors.



PRISMATIC
DIFFUSED



GLARE
FREE



DEEP
RECESSED

WATTAGES



10W | 20W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



120°

BODY
COLOURS



BK





119 X 13 X 40MM (6W) | 245 X 13 X 40MM (12W)

BESPOKE LAZER 10MM

A deep-recessed linear module that delivers precise, focused illumination with enhanced glare control. Ideal for retail displays, galleries, showrooms, hospitality spaces and accent lighting.

WATTAGES



6W | 12W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BK



GLARE
FREE



DEEP
RECESSED



GLARE
FREE



DEEP
RECESSED



114 X 13 X 99MM (6W) | 210 X 13 X 99MM (12W)

BESPOKE LAZER-M 10MM

A deep-recessed linear module that delivers precise, focused illumination with enhanced glare control. Ideal for retail displays, galleries, showrooms, hospitality spaces and accent lighting.

WATTAGES



6W | 12W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BK





45 X 180 X 116MM (10W)

BESPOKE TRACK SPOT LIGHT 10MM

A compact track-mounted spotlight designed for precise, directional illumination within an ultra-slim system. Ideal for retail displays, galleries, showrooms, hospitality spaces and focused accent lighting.

WATTAGES



10W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



BK



D100MM

GLOBE 10MM

A contemporary spherical pendant that delivers soft, diffused illumination with a minimal decorative form. Ideal for restaurants, lounges, reception areas, residences, bedside spaces and hospitality interiors.

WATTAGES



7W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



120°


BODY
COLOURS



BK



ACCESSORIES FOR BESPOKE 10MM

	NAME
NEW 	RECESSED TRACK-1METER
	RECESSED TRACK-2METER
	RECESSED TRACK-3METER
NEW 	SURFACE TRACK-1METER
	SURFACE TRACK-2METER
	SURFACE TRACK-3METER
NEW 	END CAP
NEW 	STRAIGHT JOINTER
	2 WAY JOINTER
	POWER SUPPLY CORD
NEW 	L JOINTER
NEW 	IP 65 POWER SUPPLY 100W
	IP 65 POWER SUPPLY 200W
NEW 	SMPS 48V IP20-100W
	SMPS 48V IP20-200W

300 x 5 x 16mm (5W) | 603 x 5 x 16mm (10W)

BESPOKE LINEAR 5mm

An ultra-slim linear light offering clean, continuous illumination with minimal visual presence. Ideal for retail, offices, residences, hospitality spaces and architectural accent lighting.

WATTAGES



5W | 10W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES




36°

BODY COLOURS



BK



PRISMATIC
DIFFUSED



GLARE
FREE



DEEP
RECESSED

600 x 5 x 16mm (10W)

BESPOKE LAZER 5MM

A sleek recessed linear solution designed for controlled, glare-free illumination with a refined finish. Ideal for galleries, retail displays, corridors, offices and premium interiors.

WATTAGES



10W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BK



GLARE
FREE



DEEP
RECESSED



30 x 90 mm (5W) | 45 x 130 mm (12W)

BESPOKE TRACK SPOT 5MM

A compact directional spotlight delivering focused accent lighting with flexibility and precision. Ideal for retail displays, galleries, restaurants, residences and highlighting architectural details.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS
				
5W 12W	3K / 4K / 6K	80+	36°	BK





207 X 11 X UP H44 - DOWN H59MM (10W)

BESPOKE LAZER MOVABLE 5MM

A slim adjustable linear fixture that combines focused illumination with directional flexibility. Ideal for showrooms, galleries, retail spaces, hospitality interiors and display lighting.

WATTAGES



10W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



120°

BODY
COLOURS



BK



true°

31 X 71 X 60MM (5W)

BESPOKE SURFACE SPOT 5MM

A minimal surface-mounted spotlight designed for precise illumination within compact lighting systems. Ideal for display areas, residences, boutiques, restaurants and accent lighting.

WATTAGES



5W

COLOR
TEMPERATURE

3K / 4K / 6K

CRI



80+

BEAM
ANGLES

36°

BODY
COLOURS

BK



1057 X 5 X 15MM (10W)

BESPOKE CLAY 5MM

A discreet linear lighting solution that integrates seamlessly into the track for clean, focused architectural illumination. Ideal for offices, residences, retail spaces, corridors and hospitality environments.

WATTAGES



10W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES




36°

BODY COLOURS




BK



ACCESSORIES FOR BESPOKE 5mm

	NAME
NEW 	RECESSED TRACK-1METER
	RECESSED TRACK-2METER
NEW 	SUSPENDED TRACK-1METER
	SUSPENDED TRACK-2METER
NEW 	END CAP
NEW 	I JOINTER CONCEAL / I JOINTER SUSPENDED
	2 WAY JOINTER/2 WAY LONG JOINTER
	POWER SUPPLY CORD
NEW 	L JOINTER CONCEAL
	L JOINTER SUSPENDED
NEW 	5mm CURVED JOINTER
NEW 	HANGING ACCESSORIES
NEW 	150W IN TRACK POWER SUPPLY



W27 X L964MM

BESPOKE STEM LINEAR

A suspended linear fixture designed to deliver clean, uniform illumination with a minimal architectural profile. Ideal for offices, workspaces, retail stores, dining areas and contemporary residences.

WATTAGES



10W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BK

W27 X L964MM

BESPOKE STEM LAZER

A suspended lighting solution with precise, controlled illumination and enhanced visual comfort. Ideal for workstations, retail counters, restaurants, galleries and hospitality spaces.

WATTAGES



10W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES





120°

BODY COLOURS



BK





W27 X L964MM (6W)

BESPOKE STEM 360 LINEAR

A refined suspended linear fixture designed to provide balanced, all-around illumination with a sleek modern form. Ideal for offices, meeting rooms, reception areas, retail spaces and modern interiors.

WATTAGES



6W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM
ANGLES




120°

BODY
COLOURS



BK

ACCESSORIES FOR BESPOKE STEM

	NAME
 	STEM TRACK
 	HANGING INPUT
 	I-CONNECTOR
 	L-CONNECTOR
 	3 WAY CONNECTOR
 	3 WAY CONNECTOR (T)
 	4 WAY CONNECTOR (+)
 	BASE MALE/ FEMALE CONNECTOR
 	STEM STAND
 	POWER SUPPLY 100W



15W



30W

L305 X 23 X H25 | FULL H45MM (15W) | L604 X 23 X H25 | FULL H45MM (30W)

BESPOKE LINEAR 20MM WHITE

A sleek recessed linear fixture delivering soft, uniform and glare-free illumination with a clean white finish. Ideal for offices, residences, retail spaces, corridors and hospitality interiors.

WATTAGES



15W | 30W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI



80+

BEAM ANGLES



120°

BODY COLOURS



WH



6W



12W

L122 X 23 X H25 | FULL H45MM (6W) | L235 X 23 X H25 | FULL H45MM (12W)

BESPOKE LAZER 20MM WHITE

A slim recessed linear light designed for precise, focused illumination with minimal glare. Ideal for retail displays, galleries, restaurants, offices and architectural accent lighting.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS
				
6W 12W	3K / 4K / 6K / CCT	80+	36°	WH





L125 X 23 X H87 | FULL H105MM (6W) |
L235 X 23 X H87 | FULL H105MM (12W)

BESPOKE LAZER-M 20MM WHITE

A compact surface-mounted linear fixture combining focused illumination with a clean architectural aesthetic. Ideal for showrooms, boutiques, workspaces, residences and hospitality spaces.

WATTAGES



6W | 12W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



WH



6W



12W

W45 x L81 x H105MM (7W) | W45 x L96 x H104MM (10W) | W45 x H155MM (18W)

BESPOKE TRACK SPOT 20MM WHITE

A versatile directional spotlight offering focused, adjustable illumination for highlighting key areas and objects. Ideal for retail stores, galleries, museums, restaurants and premium residential spaces.

WATTAGES



7W | 10W |
18W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES




36°

BODY
COLOURS



WH



ACCESSORIES FOR BESPOKE 20MM WHITE

	NAME
	RECESSED TRACK-1METER
	RECESSED TRACK-2METER
	RECESSED TRACK-3METER
	SURFACE TRACK-1METER
	SURFACE TRACK-2METER
	SURFACE TRACK-3METER
	END CAP
	STRAIGHT JOINTER
	2 WAY JOINTER/2 WAY LONG JOINTER
	POWER SUPPLY CORD/ 4 WIRE POWER SUPPLY CORD
	L JOINTER
	IP 65 POWER SUPPLY 200W
	SMPS 48V IP20-100W
	SMPS 48V IP20-200W



PRISMATIC
DIFFUSED



GLARE
FREE



DEEP
RECESSED

15W



20W



307 X 13 X 40MM (15W) | 609 X 13 X 40MM (20W)

BESPOKE LINEAR 10MM WHITE

A slim recessed linear fixture delivering smooth, uniform illumination with a clean architectural finish. Ideal for offices, residences, retail spaces, corridors and hospitality interiors.

WATTAGES



15W | 20W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



120°

BODY
COLOURS



WH





119 X 13 X 40MM (6W) | 245 X 13 X 40MM (12W)

BESPOKE LAZER 10MM WHITE

A compact surface-mounted linear light designed for precise, glare-controlled illumination in a minimal form. Ideal for retail displays, galleries, restaurants, workspaces and accent lighting.

WATTAGES



6W | 12W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



WH



6W



12W



GLARE
FREE



DEEP
RECESSED

114 X 13 X 99MM (6W) | 210 X 13 X 99MM (12W)

BESPOKE LAZER-M 10MM WHITE

A discreet recessed linear solution providing focused illumination while integrating seamlessly into the ceiling. Ideal for boutiques, residences, hotels, galleries and display areas.

WATTAGES



6W | 12W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



WH



GLARE FREE




DEEP RECESSED

6W



12W



45 x 100mm (10W)

BESPOKE TRACK SPOT LIGHT 10MM WHITE

A compact directional spotlight offering focused and flexible accent illumination. Ideal for retail stores, galleries, museums, restaurants and residential interiors.

WATTAGES



10W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS




BK



true°



ACCESSORIES FOR
BESPOKE 10MM
WHITE

	NAME
	RECESSED TRACK-1METER
	RECESSED TRACK-2METER
	RECESSED TRACK-3METER
	SURFACE TRACK-1METER
	SURFACE TRACK-2METER
	SURFACE TRACK-3METER
	END CAP
	STRAIGHT JOINTER
	2 WAY JOINTER
	POWER SUPPLY CORD
	L JOINTER
	IP 65 POWER SUPPLY 200W
	SMPS 48V IP20-100W
	SMPS 48V IP20-200W

AMBER SERIES



25 X 202 X 87MM (10W)

AMBER LINEAR GRILLE

A refined brushed-gold linear fixture designed for focused, glare-controlled illumination with a premium architectural aesthetic. Ideal for luxury residences, hotels, restaurants, boutiques and display areas.

WATTAGES



10W

COLOR
TEMPERATURE



3K

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BRUSH GOLD



25 X 202 X 87MM (10W)

AMBER LINEAR FLOOD

A sleek brushed-gold linear light delivering smooth, wide and uniform illumination while adding a sophisticated design detail. Ideal for dining areas, hospitality spaces, retail stores, lounges and premium residences.

WATTAGES



10W

COLOR
TEMPERATURE

3K

CRI



80+

BEAM
ANGLES

36°

BODY
COLOURS

BRUSH GOLD



26 X 103MM (7W)

AMBER SPOT

A compact brushed-gold spotlight providing precise directional illumination in an elegant minimal form. Ideal for artwork, retail displays, restaurants, galleries, feature walls and residential accents.

WATTAGES



7W

COLOR
TEMPERATURE



3K

CRI



80+

BEAM
ANGLES



36°

BODY
COLOURS



BRUSH GOLD

true





80 X 103MM (10W)

AMBER DIFFUSED MOVABLE

A refined movable fixture offering soft, diffused illumination with 360° flexibility in a brushed-gold finish. Ideal for luxury residences, hotels, lounges, restaurants and premium retail spaces.

WATTAGES



10W

COLOR TEMPERATURE



3K

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



BRUSH GOLD

45 X 201 X SMALL H120MM (12W)

AMBER MOVABLE TRACK SPOT

A sleek adjustable spotlight designed for precise, directional illumination with flexible positioning. Ideal for galleries, boutiques, displays, restaurants, feature walls and hospitality spaces.

WATTAGES



12W

COLOR TEMPERATURE



3K

CRI



80+

BEAM ANGLES



36°

BODY COLOURS



BRUSH GOLD





AMBER CLEAR GLASS BALL LAMP

A sleek adjustable spotlight designed for precise, directional illumination with flexible positioning. Ideal for galleries, boutiques, displays, restaurants, feature walls and hospitality spaces.

WATTAGES



7W

COLOR TEMPERATURE



3K

CRI



80+

BEAM ANGLES




36°

BODY COLOURS



BRUSH GOLD

150 X 185MM (7W)





150 X 185MM (7W)

AMBER MILKY GLASS BALL LAMP

A sleek adjustable spotlight designed for precise, directional illumination with flexible positioning. Ideal for galleries, boutiques, displays, restaurants, feature walls and hospitality spaces.

WATTAGES



7W

COLOR
TEMPERATURE

3K

CRI



80+



BEAM
ANGLES

36°

BODY
COLOURS

BRUSH GOLD

ACCESSORIES FOR AMBER SERIES


PHOTO	NAME
	1.5 METER TRACK
	SUSPENSION ROUND KIT 800MM
	SUSPENSION ROUND KIT 1000MM
	ALU TUBE 50MM
	ALU TUBE 300MM
	ALU TUBE 600MM
	CONNECTOR SINGLE
	CONNECTOR DOUBLE WITH ELEC.
	CONNECTOR DOUBLE WITHOUT ELEC.
	1000MM CABLE KIT
	CEILING CAP
	DRIVER BOX+1M CABLE+SINGLE CONNECTOR (WITH ELECTRICITY)
	1M CABLE+SINGLECONNECTOR (WITHOUT ELECTRICITY)
	SMPS 48V IP20-100W
	SMPS 48V IP20-200W
	AMBER TRACK CONNECTION

CLAY AND WASHER

CLAY SERIES

A versatile architectural profile system designed for clean, seamless and customised linear lighting installations. Available in multiple profile shapes and sizes, it is ideal for residences, offices, retail spaces, hotels, furniture integration and architectural detailing.

	0612	0513	0808	1010	1010	1212	1212	1313	1513	1616	1616	2014	3020	2121
	6 X 12mm	5 X 13mm	8 X 8mm	10 X 10mm	10 X 10mm	12 X 12mm	12 X 12mm	13 X 13mm	15 X 13mm	16 X 16mm	16 X 16mm	20 X 14mm	30 X 20mm	21 X 21mm
	PCB 5mm	PCB 5mm	PCB 5mm	PCB 6mm	PCB 6mm	PCB 6mm	PCB 5-6mm	PCB 8mm	PCB 10mm	PCB 8mm	PCB 8mm	PCB 10-12mm	PCB 16mm	PCB 10mm
	—	—	—	10mm	—	—	—	—	—	16mm	—	—	—	—
	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+





CLAY COMPLETE SERIES

A ready-to-use profile solution combining minimal design with integrated illumination for a refined finish. Ideal for cove details, cabinets, wardrobes, shelving, ceilings and contemporary interiors.


	0612 SIDE LIT	1010 FRONT & 3 SIDE LIT	1010 SIDE LIT	1616 3 SIDE LIT	2014 3 SIDE LIT
	6 X 12mm	10 X 10mm	10 X 10mm	16 X 16mm	20 X 14mm
	PCB 5mm	PCB 6mm	PCB 6mm	PCB 8mm	PCB 10-12mm
	3H	3H	3H	3H	3H
	—	10mm	10mm	—	—
	80+	80+	80+	80+	80+



WASHER

A ready-to-use profile solution combining minimal design with integrated illumination for a refined finish. Ideal for cove details, cabinets, wardrobes, shelving, ceilings and contemporary interiors.

	18W-24V-IP 65	20W-24V-IP 67 BOTH SIDE BEND
	36 X 21 X 37mm (1 ROLL OF 5MTR)	18 X 16mm (1 ROLL OF 5MTR)
	SILICON	SILICON
	2700K / 3000K	2700K / 3000K
	24°	24°
	90+	90+
	IP 65	IP 67




18 W-24V-IP 65



20W-24V-IP 67
BOTH SIDE BEND



ACCESSORIES FOR CLAY AND WASHER

PHOTO	NAME
	SNAKE MESH 0612, 1513, 1616, 2014, 1212
	3020
	END CAPS
	CLIPS
	SNAKE MESH 1616

ARCHITECTURAL COBS



DIMENSION: 37 X 28 mm

BITSY

Designed for subtle accent lighting, Bitsy is ideal for display shelves, niches, cabinets, boutique interiors, and hospitality spaces where compact size and precise illumination are essential.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
3 W	3K / 4K / 6K	80+	24°	WH BK	30mm



BITSY- BLACK




BITSY- WHITE




DIMENSION: 65 X 60 mm

ROTOR


Perfect for premium residential, retail, galleries, and hospitality projects, Rotor delivers focused, high-quality lighting for highlighting artwork, architectural details, and feature elements with excellent visual comfort.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
5-9 W	3K / 4K / 6K / CCT	90+	15° / 24° / 36°	WH BK	54mm





Designed for discreet architectural lighting, TINY delivers precise illumination from an ultra-compact form factor. Its minimal aperture blends seamlessly into ceilings, making it ideal for accent lighting in luxury residential, hospitality, retail, and display environments.


WATTAGES	COLOR TEMPERATURE	CRI
		
3 W	3K / 4K / 6K	80+
BEAM ANGLES	BODY COLOURS	CUTOUT
		
24°	WH BK	25mm



DIMENSION: 20 × 23mm (1W-01) | 20 × 28mm (1W-02)

TWINKLE

TWINKLE combines compact design with dependable performance to create subtle yet impactful lighting. With a deep recessed design, IP65 protection, and excellent visual comfort, it is perfect for bathrooms, outdoor covered areas, hospitality, and premium residential spaces.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES
			
1W-01 1W-02	3K / 4K / 6K / DC 12V	80+	36°
BODY COLOURS	CUTOUT	IP RATING	
 			
WH BK	15mm	IP 65	



DIMENSION: 52 X 49mm (5W) | 50 X 50 X 46mm (5W-S)

COGENT

TWINKLE combines compact design with dependable performance to create subtle yet impactful lighting. With a deep recessed design, IP65 protection, and excellent visual comfort, it is perfect for bathrooms, outdoor covered areas, hospitality, and premium residential spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
5W 5W-S	3K / 4K / 6K / CCT	80+	24°	WH	45mm



5W



5W-S






DIMENSION: 64 x 70 mm (7W) | 82 x 82mm (12W) | 104 x 105mm (18W)

SIPHON

SIPHON combines high-performance illumination with deep recessed optics for exceptional visual comfort and glare control. Engineered for premium architectural spaces, it offers multiple wattages, beam angles, and finishes, making it a versatile solution for hospitality, luxury residences, offices, and retail environments.

WATTAGES  7W 12W 18W	COLOR TEMPERATURE  3K / 4K / 6K / CCT	CRI  80+	BEAM ANGLES  24° / 36°
BODY COLOURS     WH BK BC RG			CUTOUT  55mm 75mm 95mm

 HONEYCOMB MESH AVAILABLE FOR 12W



DIMENSION: 52 x 68mm (7W) | 62 x 83mm (12W) | 81 x 96mm (20W)

TERRA

TERRA is a deep recessed architectural downlight engineered for exceptional visual comfort and precise light control. Its glare-reducing design, multiple beam angles, and clean minimalist finish make it an ideal choice for luxury residences, hospitality, offices, and premium retail spaces.

WATTAGES



7W | 12W |
20W

COLOR TEMPERATURE



3K / 4K /
6K / CCT

CRI



80+

BEAM ANGLES




15° / 24° /
36° / 50°

BODY COLOURS



WH BK

CUTOUT



45mm | 55mm |
75mm





01



02

DIMENSION: 30 x 81mm (7W) | 35 x 95mm (10W) | (01) 62 x 90mm | (02) 62 x 100mm (18W)

ASTEROID

ASTEROID is an ultra-compact recessed spotlight designed for discreet yet impactful accent lighting. With its deep-set optics, high colour rendering, and minimal ceiling presence, it delivers focused illumination for galleries, retail displays, hospitality, and high-end residential interiors.

WATTAGES



7W | 10W |
18W

COLOR TEMPERATURE



7W: 3K / 4K
10W: 3K / 4K
18W: 3K / 4K / 6K / CCT

CRI



7W: 90+
10W: 90+
18W: 80+

BEAM ANGLES




7W: 20°, 36°, 50°
10W: 20°, 36°, 50°
18W: 24°, 36°

BODY COLOURS



— —
WH BK


CUTOUT




7W: 25mm
10W: 31mm
18W: 58mm

ASTEROID-T

ASTEROID-T is a trimless recessed spotlight crafted for seamless integration into contemporary ceilings. Its minimalist profile, deep-set optics, and precise beam control create a clean architectural finish, making it ideal for luxury residences, galleries, hospitality, and premium retail environments.

WATTAGES  7W 10W 18W	COLOR TEMPERATURE  7W: 3K / 4K 10W: 3K/ 4K 18W: 3K/ 4K/ 6K / CCT	CRI  7W: 90+ 10W: 90+ 18W: 80+	BEAM ANGLES  7W: 20°, 36°, 50° 10W: 20°, 36°, 50° 18W: 24°, 36°	BODY COLOURS  WH BK	CUTOUT  7W: 40mm TRIM FRAME CUTOUT 10W: 45mm TRIM FRAME CUTOUT 18W: 77mm TRIM FRAME CUTOUT
--	--	--	---	---	--





01



02





DIMENSIONS: 37 x 37 x 81mm (7W) | 42 x 42 x 95mm (10W) |
(01) 70 x 70 x 90mm | (02) 70 x 70 x 100mm (18W)

ASTEROID-S

TERRA is a deep recessed architectural downlight engineered for exceptional visual comfort and precise light control. Its glare-reducing design, multiple beam angles, and clean minimalist finish make it an ideal choice for luxury residences, hospitality, offices, and premium retail spaces.

WATTAGES



7W | 10W |
18W

COLOR TEMPERATURE



7W: 3K / 4K
10W: 3K/ 4K
18W: 3K/ 4K/ 6K / CCT

CRI



7W: 90+
10W: 90+
18W: 80+

BEAM ANGLES



7W: 20°, 36°, 50°
10W: 20°, 36°, 50°
18W: 24°, 36°

BODY COLOURS



WH BK

CUTOUT

7W: 25mm FRAME CUTOUT
10W: 31mm FRAME CUTOUT
18W: 57mm FRAME CUTOUT



01



02



01

02

71 × 37 × 81mm (14W (7W × 2)) |
86 × 42 × 95mm (20W (10W × 2)) |
(01) 1306 × 70 × 90mm | (02) 1306 × 70 × 100mm (36W (18W × 2))

ASTEROID DOUBLE

ASTEROID DOUBLE delivers powerful dual-beam illumination in a sleek, compact form, making it ideal for highlighting larger architectural features and display areas. With multiple wattages, beam angles, and trim options, it provides precise, glare-controlled lighting for luxury retail, hospitality, galleries, and premium residential interiors.

WATTAGES



14W (7W × 2) |
20W (10W × 2) |
36W (18W × 2)

COLOR TEMPERATURE



7W: 3K / 4K
10W: 3K/ 4K
18W: 3K/ 4K/ 6K / CCT

CRI



7W: 90+
10W: 90+
18W: 80+

BEAM ANGLES



7W: 20°, 36°, 50°
10W: 20°, 36°, 50°
18W: 24°, 36°

BODY COLOURS



WH BK

CUTOUT

7W: 25mm FRAME CUTOUT
10W: 31mm FRAME CUTOUT
18W: 57mm FRAME CUTOUT

105 × 37 × 81 mm (21W (7W x 3))
123 × 42 × 95 mm (30W (10W x 3))

ASTEROID TRIPPLE

ASTEROID TRIPPLE is a multi-head recessed spotlight designed for applications requiring broad, uniform accent lighting with a refined architectural aesthetic. Its triple-light configuration offers exceptional flexibility and visual impact, making it perfect for retail displays, museums, hotel lobbies, offices, and high-end commercial spaces.

WATTAGES



21W (7W x 3) |
30W (10W x 3)

COLOR TEMPERATURE



3K / 4K

CRI




21W: 90+
30W: 80+

BEAM ANGLES




20° / 36° / 50°

BODY COLOURS




WH BK

CUTOUT



25mm CUTOUT EACH



31mm CUTOUT EACH



01




02





PENCIL

PENCIL is a compact recessed spotlight designed for clean, focused illumination with minimal visual presence. Its deep-set optics and precise beam control make it an ideal choice for luxury residences, retail displays, galleries, and hospitality spaces where subtle accent lighting is essential.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W	3K / 4K	80+	24° / 36° / 50°	WH BK	35mm





CORE

CORE is a versatile architectural downlight engineered to deliver high-performance illumination with excellent visual comfort. Available in multiple wattages, beam angles, and finishes, it seamlessly adapts to residential, commercial, hospitality, and retail environments, providing precise and reliable lighting for every application.

W52 X H83MM (8W) | W52 X H108MM (10-12W) | W72 X H87MM (15W) | W72 X H112MM (18-20W)

WATTAGES



8W | 10-12W |
15W | 18-20W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




8°/ 15°/ 24°/
38°/ 50°

BODY COLOURS



WH BK

CUTOUT



45mm | 45mm |
65mm | 65mm



FRAME WIDTH 94 X H83MM (8W)

FRAME WIDTH 94 X 108MM (10-12W)


FRAME WIDTH 114 X H87MM (15W)

FRAME WIDTH 114 X H122MM (18-20W)

CORE- T


CORE-T offers the same refined lighting performance in a trimless design that integrates seamlessly into the ceiling. With minimal visual presence and precise beam control, it is ideal for contemporary interiors where a clean, uninterrupted ceiling aesthetic is essential.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W 15W 18-20W	3K/ 4K/ 6K/ CCT	80+	8°/ 15°/ 24°/ 38°/ 50°	WH BK	45mm 45mm 65mm 65mm





CORE- FIXED

CORE-FIXED combines compact proportions with precise, glare-controlled illumination for smaller spaces. Its minimal recessed profile makes it a versatile choice for residences, hospitality, corridors, and retail applications.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
 8W 10-12W 15W 18-20W	 3K/ 4K/ 6K/ CCT	 80+	 8°/ 15°/ 24°/ 38°/ 50°	 WH BK	 45mm 45mm 65mm 65mm






CORE- FIXED TRIMLESS

CORE-FIXED offers high-output, focused illumination in a refined fixed recessed format. Designed for consistent light distribution and visual comfort, it is ideal for hotels, offices, retail spaces, and premium interiors.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W 15W 18-20W	3K/ 4K/ 6K/ CCT	80+	8°/ 15°/ 24°/ 38°/ 50°	WH BK	45mm 45mm 65mm 65mm




CORE- BEAM

CORE-BEAM is designed for precise, controlled illumination with enhanced glare control and visual comfort. Its refined optics make it ideal for highlighting architectural details, displays, artwork, and key areas within a space.




WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W 15W 18-20W	3K/ 4K/ 6K/ CCT	80+	8°/ 15°/ 24°/ 38°/ 50°	WH BK	45mm 45mm 65mm 65mm





CORE- BEAM- T

CORE-BEAM-T combines precise beam control with a seamless trimless finish for a clean architectural ceiling. Its discreet design and focused illumination make it ideal for contemporary luxury interiors, galleries, retail, and hospitality spaces.



WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W 15W 18-20W	3K/ 4K/ 6K/ CCT	80+	8°/ 15°/ 24°/ 38°/ 50°	WH BK	45mm 45mm 65mm 65mm



W59 X L59 X H88MM (8W) | W59 X L59 X H114MM (10-12W)

W81 X L81 X H94MM (15W) | W81 X L81 X H120MM (18-20W)

CORE- SQUARE

CORE SQUARE brings controlled illumination into a compact square profile. Designed for clean ceiling integration and visual comfort, it is ideal for residential, hospitality, retail, and contemporary commercial interiors.

WATTAGES



8W | 10-12W |
15W | 18-20W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




8°/ 15°/ 24°/
38°/ 50°

BODY COLOURS



WH BK

CUTOUT



50 X 50mm | 50 X 50mm |
70 X 70mm | 70 X 70mm





FRAME W50 X L110 X H88MM (8W) |
FRAME W50 X L110 X H114MM (10-12W) |
FRAME W70 X L130 X H94MM (15W) |
FRAME W70 X L130 X H120MM (18-20W)

CORE- SQUARE- T

CORE SQUARE-T offers a seamless trimless square finish for interiors where minimal ceiling presence is essential. Combining precise light distribution with a refined architectural look, it is ideal for premium residences, galleries, hotels, and retail spaces.

WATTAGES



8W | 10-12W |
15W | 18-20W

COLOR
TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM
ANGLES




8°/ 15°/ 24°/
38°/ 50°

BODY
COLOURS



WH BK

CUTOUT



52 ×52 mm | 52 ×52 mm |
72 ×72mm | 72 ×72mm

CORE- DOUBLE

CORE DOUBLE features dual light sources for wider, more powerful illumination while maintaining a clean recessed aesthetic. Ideal for retail displays, galleries, hotels, and premium interiors where balanced lighting across larger areas is required.

WATTAGES



8Wx2 | 12Wx2 |
15Wx2 | 20Wx2

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 38°/
50°

BODY COLOURS



WH BK


CUTOUT



W50 X L96MM | W50 X L96MM |
W70 X L135MM | W70 X L135MM

W59 X L105 X H88MM (8Wx2)
W59 X L105 X H114MM (12Wx2)

W81 X L147M X H94MM (15Wx2)
W81 X L147M X H120MM (20Wx2)





FRAME W110 X L95 X H88MM (8Wx2)
 FRAME W110 X L95 X H114MM (12Wx2)

FRAME W130 X L135 X H94MM (15Wx2)
 FRAME W135 X L130 X H120mm (20Wx2)

CORE- DOUBLE- T

CORE DOUBLE-T brings dual-source illumination into a seamless trimless design for minimal ceiling presence. Combining strong performance with a clean architectural aesthetic, it is ideal for contemporary retail, hospitality, galleries, and luxury interiors.

WATTAGES



8Wx2 | 12Wx2 |
 15Wx2 | 20Wx2

COLOR TEMPERATURE



3K/ 4K/ 6K/
 CCT

CRI




80+

BEAM ANGLES




15°/ 24°/ 38°/
 50°

BODY COLOURS




WH BK

CUTOUT



W53 X L95MM | W53 X L95MM |
 W72 X L135MM | W72 X L135MM





CORE SNOOP / ZOOMABLE

CORE SNOOP / ZOOMABLE offers flexible directional lighting with an adjustable beam, allowing precise control over where light falls. Ideal for galleries, retail displays, artwork, and architectural features that require focused illumination.

WATTAGES



8W | 10-12W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 38°/
50°

BODY COLOURS



WH BK

CUTOUT



45mm | 65mm

DIMENSIONS: 52 x 93mm (8W) | 72 x 103mm (10-12W)



CORE SNOOP / ZOOMABLE- T

CORE SNOOP / ZOOMABLE-T brings adjustable directional lighting into a refined trimless format. Its zoomable design allows precise beam control while maintaining a minimal ceiling aesthetic.

DIMENSIONS: FRAME 94 x 93mm (8W) | FRAME 114 x 103mm (10-12W)

WATTAGES



8W | 10-12W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 38°/
50°

BODY COLOURS



WH BK

CUTOUT





45 mm | 65mm




CORE SQUARE SNOOP / ZOOMABLE

CORE SQUARE SNOOP / ZOOMABLE pairs a contemporary square profile with adjustable directional illumination. Designed for flexible highlighting, it is ideal for premium retail, galleries, hospitality, and modern residential interiors.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W	3K/ 4K/ 6K/ CCT	80+	15°/ 24°/ 38°/ 50°	WH BK	52 × 52mm 72 × 72mm

59 × 59 × 98mm (8W) | 81 × 81 × 110mm (10-12W)



CORE SQUARE SNOOP / ZOOMABLE-T

CORE SQUARE SNOOP / ZOOMABLE-T combines a sleek square trimless profile with adjustable directional lighting. Its zoomable beam offers precise control, making it ideal for galleries, retail displays, hospitality, and contemporary interiors.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W	3K/ 4K/ 6K/ CCT	80+	15°/ 24°/ 38°/ 50°	WH BK	52 × 52mm 72 × 72mm



ZOOMABLE

105 × 59 × 99mm (8W) | 147 × 81 × 110mm (10-12W)

CORE SNOOP / ZOOMABLE DOUBLE

CORE SNOOP / ZOOMABLE DOUBLE features two adjustable light sources for flexible, focused illumination across larger areas. Its dual zoomable design is ideal for highlighting merchandise, artwork, architectural details, and feature zones.

WATTAGES



8Wx2 |
12Wx2

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




15°/ 24°/ 38°/
50°

BODY COLOURS



WH BK

CUTOUT



96 × 50mm |
135 × 70mm



ZOOMABLE



true®

CORE SNOOP / ZOOMABLE DOUBLE-T

CORE SNOOP / ZOOMABLE DOUBLE-T brings dual adjustable illumination into a seamless trimless format. Designed for maximum flexibility with minimal ceiling presence, it delivers precise accent lighting for premium retail, galleries, hotels, and residences.

WATTAGES



8Wx2 |
12Wx2

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




15°/ 24°/ 38°/
50°

BODY COLOURS



WH BK

CUTOUT



95 × 53mm |
135 × 72mm



95 × 110 × 98mm (8Wx2) | 135 × 130 × 109mm (12Wx2)




W52 X H100 X CONCEAL DEPTH 40mm /
W52 X H117 X CONCEAL DEPTH 40mm

CORE SPY / ZOOMABLE

CORE SPY / ZOOMABLE offers discreet, directional illumination with an adjustable beam for precise highlighting. Its compact profile and flexible aiming make it ideal for artwork, displays, feature walls, and refined architectural spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 12W	3K / 4K	80+	8° / 15° / 24° / 38° / 50°	WH BK	45mm





DIMENSIONS: FRAME W94 X H101 X CONCEAL DEPTH 25mm (8W)
FRAME W94 X H117 X CONCEAL DEPTH 25mm (10-12W)

CORE SPY / ZOOMABLE- T

CORE SPY / ZOOMABLE-T combines adjustable directional lighting with seamless trimless integration. Its zoomable beam allows precise highlighting while maintaining a clean, minimal ceiling aesthetic.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 12-15W	3K / 4K	80+	15° / 24° / 38° / 50°	WH BK	45mm







DIMENSIONS: W59 x L59 x H101 x CONCEAL DEPTH 42mm (8W)
W59 x L59 x H117 x CONCEAL DEPTH 42mm (10-12W)

CORE SQUARE SPY / ZOOMABLE

CORE SPY / ZOOMABLE SQUARE pairs flexible directional illumination with a contemporary square profile. Ideal for galleries, retail, hospitality, and residences where precise accent lighting is required.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W	3K / 4K	80+	15° / 24° / 38° / 50°	WH BK	52 × 52mm






DIMENSIONS: FRAME W50 X L110 X H101 X CONCEAL DEPTH 30mm (10-12W)
FRAME W50 X L110 X H117 X CONCEAL DEPTH 30mm (10-12W)

CORE SQUARE SPY / ZOOMABLE-T

CORE SPY / ZOOMABLE SQUARE-T offers adjustable beam control within a refined trimless square design. It delivers focused illumination with minimal ceiling presence for premium architectural interiors.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W	3K / 4K	80+	15° / 24° / 38° / 50°	WH BK	52 × 52mm






ZOOMABLE

CORE SPY / ZOOMABLE DOUBLE

CORE SPY / ZOOMABLE DOUBLE features two adjustable light sources for powerful and flexible accent lighting. Its dual zoomable beams are ideal for highlighting displays, artwork, and larger feature areas.

DIMENSIONS: W59 x L105 x H101 x CONCEAL DEPTH 31mm (8W)
W59 x L105 x H117 x CONCEAL DEPTH 31mm (10-12W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W	3K / 4K	80+	15° / 24° / 38° / 50°	WH BK	96 x 50mm




ZOOMABLE

CORE SPY / ZOOMABLE DOUBLE- T

CORE SPY / ZOOMABLE DOUBLE-T combines dual directional lighting with a seamless trimless finish. Designed for precise beam control, it offers flexible illumination for luxury retail, galleries, hospitality, and commercial spaces.

DIMENSIONS: FRAME 95 x 110 x 101mm x CONCEAL DEPTH 31mm (8W) |
FRAME 95 x 110 x 117 x CONCEAL DEPTH 31mm (10-12W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
8W 10-12W	3K / 4K	80+	15° / 24° / 38° / 50°	WH BK	95 x 53mm



CORE SPY / ZOOMABLE SURFACE

CORE SPY / ZOOMABLE SURFACE brings flexible spotlighting to spaces where recessed installation is not required. Its adjustable head and zoomable beam provide precise directional illumination for displays, artwork, and architectural features.

DIMENSIONS: W45 x H87 x FULL LENGTH 144mm (12W)
W45 x H111 x FULL LENGTH 170mm (15W)

WATTAGES



8W
12W | 15W

COLOR TEMPERATURE



3K / 4K

CRI



80+

BEAM ANGLES




15° / 24° / 38°

BODY COLOURS



WH BK

CUTOUT



SF RING
W48 x H41mm



CORE SPY MAGNETIC TRACK

CORE SPY MAGNETIC TRACK combines precise directional lighting with the flexibility of a magnetic track system. Its adjustable form makes it ideal for retail, galleries, hospitality, and spaces where lighting layouts need to adapt effortlessly.

DIMENSIONS: 144 × 45 × 87mm (12W) | 144 × 45 × 111mm (15W)

WATTAGES



8W
12W | 15W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES



15° / 24° / 38°

BODY COLOURS



WH BK





CORE SPY TRACK

CORE SPY TRACK delivers focused, adjustable illumination through a sleek track-mounted design. Ideal for highlighting displays, artwork, merchandise, and architectural details with precision.

DIMENSIONS: 155 × 45 × 87mm (12W) | 180 × 45 × 111mm (15W)

WATTAGES



8W
2W | 15W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES



15°/ 24°/ 38°

BODY COLOURS



WH BK








ELLIPSE

ELLIPSE blends high-performance illumination with a distinctive reflector design for enhanced visual comfort and refined aesthetics. Its controlled beam makes it an elegant choice for luxury residences, hotels, retail, and premium commercial interiors.

DIMENSIONS: 60 × 57mm (7W) | 80 × 62mm (12W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W	3K/ 4K/ 6K/ CCT	80+	15°/ 36°/ 50°	WH BK	57mm 74mm





DIMENSIONS: 52 x 95mm (7-10W) | 62 x 97mm (12-15W) | 82 x 116mm (20-24W)

CLOVE

CLOVE is a compact recessed spotlight designed for clean, controlled illumination with minimal ceiling presence. Its adjustable design and multiple beam options make it ideal for accent lighting across residential, hospitality, gallery, and retail spaces.

WATTAGES



7W-10W | 12-15W |
20-24W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15°/ 24°/
36°/ 50°

BODY COLOURS



WH BK

CUTOUT



45mm | 55mm |
75mm





DIMENSIONS: 52 x 95mm (7-10W) | 62 x 97mm (12-15W) | 82 x 116mm (20-24W)

CLOVE-T

CLOVE-T combines compact performance with a seamless trimless finish for minimal ceiling presence. Its adjustable design provides precise accent lighting for residences, boutiques, galleries, and hospitality spaces.

WATTAGES



7W-10W | 12-15W |
20-24W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




15°/ 24°/
36°/ 50°

BODY COLOURS



WH BK

CUTOUT



45mm | 55mm |
75mm





48 X 37mm

AXIAL

AXIAL is a compact recessed spotlight engineered for discreet and highly precise accent lighting. Its zoomable beam allows effortless control over focus, making it ideal for artwork, niches, displays, and detailed architectural elements.

WATTAGES



3W

COLOR TEMPERATURE



3K/ 4K/ 6K

CRI



80+

BEAM ANGLES




15-50°
zoomable

BODY COLOURS



WH BK

CUTOUT



40mm



41 x 26mm (3W) | 62 x 33mm (7W)

ASTERAL

ASTERAL combines a compact recessed profile with adjustable optics for refined accent lighting. Designed for visual comfort and precise illumination, it works beautifully across residences, galleries, retail, and hospitality spaces.

WATTAGES



3W | 7W

COLOR TEMPERATURE



3K/ 4K/ 6K

CRI



80+

BEAM ANGLES




15°/ 24°/ 36°/ 50°

BODY COLOURS




WH BK

CUTOUT



35mm | 55mm



HONEYCOMB MESH
AVAILABLE



FRONT
OPENABLE



DIMENSIONS: 65 × 79mm (7W) | 82 × 97mm (12W) |
105 × 112mm (18-25W) | 138 × 151mm (30-35W)

FLARE

FLARE is a versatile architectural downlight designed for powerful illumination with exceptional glare control. Multiple wattages, beam angles, and optional honeycomb mesh make it adaptable to a wide range of premium interior applications.

WATTAGES



7W | 12W |
18-25W | 30-35W

COLOR TEMPERATURE



3K/ 4K/ 6K/ CCT

CRI




80+

BEAM ANGLES




15°/ 24°/ 36°/
50°

BODY COLOURS




WH BK

CUTOUT



56mm | 76mm |
95mm | 125mm






DIMENSIONS: 65 × 78mm (7W) | 108 × 97mm (12W) |
105 × 110mm (18-25W) | 138 × 151mm (30-35W) |

FLARE- TRIMLESS

FLARE-TRIMLESS offers the performance of FLARE within a seamless ceiling-integrated design. Its deep optics and controlled beams create comfortable illumination while maintaining a clean, uninterrupted architectural finish.



HONEYCOMB MESH
AVAILABLE



FRONT
OPENABLE

WATTAGES



7W | 12W |
18-25W | 30-35W

COLOR TEMPERATURE



3K/ 4K/ 6K/ CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 36°/
55°

BODY COLOURS



WH BK

CUTOUT



55mm | 75mm |
95mm | 115mm

DIMENSIONS: 65 × 65 × 86mm (7W) | 85 × 85 × 106mm (12) | 105 × 105 × 126mm (18-25W)

FLARE- SQUARE

FLARE-SQUARE brings precise architectural lighting into a contemporary square profile. With deep-set optics and controlled beam distribution, it delivers a crisp, modern aesthetic for luxury retail, hospitality, commercial, and residential interiors.

WATTAGES



7W | 12W | 18-25W

COLOR TEMPERATURE



3K/ 4K/ 6K/ CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 36°/ 55°

BODY COLOURS





WH BK

CUTOUT



56mm | 76mm | 95mm



HONEYCOMB MESH AVAILABLE



FRONT OPENABLE



DIMENSIONS: 85 × 85 × 96mm (12W)

FLARE- SQUARE TRIMLESS

FLARE-SQUARE TRIMLESS offers a clean, seamless ceiling finish with powerful, controlled illumination. Its square profile, deep optics and optional honeycomb mesh make it ideal for refined architectural spaces.

WATTAGES


12W

COLOR TEMPERATURE3K/ 4K/ 6K/
CCT**CRI**



80+


BEAM ANGLES15°/ 24°/ 36°/
55°**BODY COLOURS**

WH BK

CUTOUT

75mm


**HONEYCOMB MESH
AVAILABLE****FRONT
OPENABLE**



HONEYCOMB MESH
AVAILABLE



FRONT
OPENABLE



115 × 65 × 86mm (14W) | 156 × 85 × 106mm (24W) | 196 × 105 × 126mm (36-50W)

FLARE- DOUBLE

FLARE DOUBLE combines two high-performance light sources in a single recessed fixture, delivering broader and more powerful illumination. Ideal for retail, hospitality and large residential spaces requiring focused yet balanced lighting.

WATTAGES



7Wx2 | 12Wx2 |
18Wx 2(36-50W)

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 36°/
55°

BODY COLOURS




WH BK

CUTOUT




105 X 56mm |
146 × 76mm |
185 × 96mm



HONEYCOMB MESH
AVAILABLE



FRONT
OPENABLE



W75 X FRAME L215 X H107MM (12Wx2)

FLARE- DOUBLE T

FLARE DOUBLE-T brings dual-source performance into a seamless trimless design. Its deep-set optics provide excellent glare control while maintaining a minimal, uninterrupted ceiling aesthetic.

WATTAGES



12Wx2 (24W)

COLOR
TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM
ANGLES




15°/ 24°/ 36°/
55°

BODY
COLOURS



WH BK

CUTOUT



148 × 76mm

DUPPLE-02

DUPPLE-02 is a versatile recessed downlight designed for clean, efficient illumination. Its deep reflector helps control glare while multiple wattage and beam options make it suitable for residential, retail and hospitality interiors.

DIMENSIONS: 75 x 68mm (7W) | 85 x 80mm (12W) | 99 x 95mm (18W)

WATTAGES



7W | 12W | 18W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




24°/ 36°/ 60°

BODY COLOURS




WH BK

CUTOUT



65mm | 78mm |
90mm



HONEYCOMB MESH
AVAILABLE




FRONT
OPENABLE



FLARE-02

FLARE-02 features a deep, curved optical design for comfortable and precisely directed illumination. Its compact recessed profile makes it ideal for accent and general lighting across premium interiors.





WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 18W	3K/ 4K/ 6K/ CCT	80+	15°/ 24°/ 36°/ 55°	WH BK	55mm 55mm 75mm



DUPPLE-03

DUPPLE-03 combines a deep reflector with controlled beam distribution for comfortable architectural lighting. Available across multiple wattages and beam angles, it adapts easily to retail, hospitality and residential applications.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 18W	3K/ 4K/ 6K/ CCT	80+	24°/ 36°/ 55°	WH BK	55mm 75mm 95mm




HONEYCOMB MESH
AVAILABLE



DUPPLE-04



A high-performance recessed COB with a deep reflector for controlled, low-glare illumination and excellent colour rendering. Ideal for retail stores, hotels, galleries and premium residential spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7-12W 15-18W	3K/ 4K/ 6K/ CCT	90+	24°/ 36°/ 60°	WH BK	55mm 75mm



DUPPLE-03 WALL WASHER

Designed for smooth, directional wall illumination with a focused 40° beam, highlighting vertical surfaces with clarity. Ideal for feature walls, artwork, displays, corridors and hospitality spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
12W	3K/ 4K/ 6K/ CCT	80+	40°	WH BK	75mm





ROBUST

A durable recessed COB offering precise beam control, high-quality illumination and IP54 protection. Ideal for hotels, offices, retail spaces, corridors and covered transitional areas.

WATTAGES



7W | 12W | 18W |
20-24W | 30-36W

COLOR TEMPERATURE



3K / 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




15° / 24° / 36°

BODY COLOURS



WH BK

CUTOUT



49mm | 59mm |
75mm | 90mm |
118mm

IP RATING



IP 54





ROBUST-02

A high-performance recessed COB combining strong illumination, 90+ CRI and IP65 protection for demanding environments. Ideal for bathrooms, covered outdoor areas, hospitality spaces, retail and moisture-prone zones.

WATTAGES



7W-12W | 15W-18W

COLOR TEMPERATURE



3K / 4K/ 6K/
CCT

CRI




90+

BEAM ANGLES




24°/ 36°/ 60°

BODY COLOURS



WH BK

CUTOUT



55mm | 75mm

IP RATING



IP 65





DIMENSIONS: 62 x 25mm (7W) | 72 x 28.3mm (12W)

DWARF

Compact and discreet, DWARF delivers focused illumination while keeping the ceiling appearance clean and minimal. Ideal for residences, display niches, wardrobes, corridors, boutique retail and accent lighting.

WATTAGES



7W | 12W

COLOR TEMPERATURE



3K / 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




36°

BODY COLOURS



WH BK

CUTOUT



55mm | 65mm



DIMENSIONS: 70 x 78mm

SMOOTH

A compact recessed COB designed for soft, comfortable illumination with minimal glare and a clean ceiling presence. Ideal for residences, hotel rooms, corridors and boutique retail spaces.

WATTAGES



7W

COLOR
TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM
ANGLES



38°

BODY
COLOURS




WH



BK

CUTOUT



65mm



DIMENSIONS: 84 × 105W (7W)

SMOOTH WALL WASHER

FLARE-SQUARE TRIMLESS offers a clean, seamless ceiling finish with powerful, controlled illumination. Its square profile, deep optics and optional honeycomb mesh make it ideal for refined architectural spaces.

WATTAGES


7W

COLOR TEMPERATURE3K/ 4K/ 6K/
CCT**CRI**


80+

BEAM ANGLES

38°

BODY COLOURS

WH BK

CUTOUT

75mm



ENCIRCLE

A versatile recessed COB available in round and square formats, offering controlled beam options for precise architectural lighting. Ideal for hotels, offices, showrooms, retail stores and premium residences.

97 x 85mm (12W) | 111 x 101mm (20W)

97 x 97 x 85mm (12W) | 111 x 111 x 101mm (20W)

WATTAGES



12W, R | 20W, R |
12W, S | 20W, S

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




15° / 24° / 36°

BODY COLOURS



WH BK

CUTOUT



88mm | 100mm |
88mm | 96mm



ENCIRCLE DOUBLE

A dual-source recessed fixture that delivers higher light output with balanced, controlled illumination from a single fitting. Ideal for large retail spaces, hotel lobbies, offices, galleries and commercial interiors.

118 × 97 × 85mm (12Wx2) | 226 × 111 × 101mm (20Wx2)

WATTAGES



12Wx2 | 20Wx2

COLOR TEMPERATURE



3K/ 4K/ 6K/ CCT

CRI




80+

BEAM ANGLES




15° / 24° / 36°

BODY COLOURS




WH BK

CUTOUT



178 × 88mm | 215 × 96mm






DUSKY

A deep-recessed COB designed for comfortable, glare-controlled illumination, with an optional honeycomb mesh for enhanced visual comfort. Ideal for luxury residences, hotels, restaurants, galleries and retail spaces.

DIMENSIONS: 63 × 75mm (7W) | 85 × 79mm (12W) | 109 × 94mm (18W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 18W	3K/ 4K/ 6K/ CCT	80+	36°	WH BK	55mm 75mm 95mm



DIMENSIONS: 100 × 79mm (12W) | 130 × 94mm (18W)

DUSKY-T

A trimless version of DUSKY that integrates seamlessly into the ceiling for a clean architectural finish while maintaining controlled illumination. Ideal for minimalist residences, luxury hotels, galleries, boutiques and refined commercial spaces.

WATTAGES



12W | 18W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




36°

BODY COLOURS



WH BK

CUTOUT



75mm | 95mm



DIMENSIONS: 168 × 88 × 79mm (12Wx2) | 216 × 115 × 94mm (18W x 2)

DUSKY DOUBLE

A dual-source recessed COB designed for powerful yet comfortable illumination with controlled glare. Ideal for luxury retail, hotel lobbies, restaurants, showrooms and large residential spaces.

WATTAGES



24 W (12Wx2) |
36W (18Wx2)

COLOR
TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM
ANGLES




36°

BODY
COLOURS




WH BK

CUTOUT



158 × 80mm |
200 × 105mm



HONEYCOMB MESH
AVAILABLE for 24W



FRONT
OPENABLE





DIMENSIONS: 69 x 66mm (7W) | 85 x 77mm (12-15W) | 95 x 90mm (18-20W) | 115 x 105mm (30W)

FUNNEL

A dual-source recessed COB designed for powerful yet comfortable illumination with controlled glare. Ideal for luxury retail, hotel lobbies, restaurants, showrooms and large residential spaces.

WATTAGES



7W | 12-15W |
18-20W | 30W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES



36°/60°


BODY COLOURS



WH

BK

CUTOUT



60mm | 76mm |
86mm | 105mm



DIMENSIONS: 80 x 64mm (7W) | 108 x 70mm (12-15W)

HALO

A refined recessed COB with a wide reflector that creates soft, balanced illumination with reduced glare. Ideal for premium residences, hospitality spaces, lounges, corridors and offices.

WATTAGES



7W | 12-15W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES



36°


BODY COLOURS




WH

BK

CUTOUT



70mm | 95mm



DIMENSIONS: 65 X 52MM (7W) | 75 X 60MM (10W) | 85 X 60MM (12W)

PINNACLE

A minimal recessed downlight designed to blend discreetly into the ceiling while delivering focused illumination. Ideal for luxury residences, galleries, boutiques, hotels and accent lighting applications.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 10W 12W	3K/ 4K/ 6K/ CCT	80+	24°/ 36°	WH BK	55mm 65mm 75mm





DIMENSIONS: 70 × 57mm (7W) | 85 × 67mm (12-15W) | 97 × 83mm (18-20W)

QUIRK

A versatile recessed COB offering smooth, comfortable illumination across multiple wattages and beam options. Ideal for retail stores, offices, hospitality interiors, residences and general architectural lighting.

WATTAGES



7W | 12-15W |
18-20W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




36°/60°

BODY COLOURS



WH BK

CUTOUT





64mm | 75mm |
88mm



DIMENSIONS: 53 × 66mm (12W-01) | 70 × 66mm (12W-02) | 70 × 66mm (12W-03) | 85 × 66mm (12W-04) | 85 × 66mm (12W-05) | 85 × 66mm (12W-06)

ARCHED

ARCHED is a versatile recessed COB range designed with a distinctive compact form and multiple fixed and adjustable configurations for precise, glare-controlled illumination. Its front-openable design also allows convenient access while maintaining a clean ceiling finish. Ideal for luxury residences, hotels, galleries, retail displays, restaurants and accent lighting applications.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
12W-01	3K/ 4K/ 6K/ CCT	80+	24°/ 36°	WH BK	45mm
12W-02	3K/ 4K/ 6K/ CCT	80+	24°/ 36°	WH BK	40mm
12W-03	3K/ 4K/ 6K/ CCT	80+	24°	WH BK	45mm
12W-04	3K/ 4K/ 6K/ CCT	80+	24°	WH BK	42mm
12W-05	3K/ 4K/ 6K/ CCT	80+	24°/ 36°	WH BK	50mm
12W-06	3K/ 4K/ 6K/ CCT	80+	24°/ 36°	WH BK	55mm





BEAKER

A versatile recessed COB designed for precise, controlled illumination with multiple beam options and a clean architectural profile. Ideal for retail stores, galleries, hotels, offices and premium residential spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 18W	3K / 4K / 6K / CCT	80+	15° / 24° / 36° / 60°	WH BK	52mm 63mm 66mm





LEAN

A deep-recessed COB designed to minimise glare while delivering comfortable, focused illumination. Ideal for luxury residences, hotel rooms, restaurants, lounges and boutique retail spaces.

WATTAGES



12W

COLOR TEMPERATURE



3K / 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




36°

BODY COLOURS




WH BK

CUTOUT



75mm






SWING

A compact recessed downlight offering smooth illumination with wider beam options for flexible lighting layouts. Ideal for residences, corridors, cafés, hotel rooms and smaller retail spaces.

DIMENSIONS: 78 x 65mm (7W) | 88 x 75mm (12-15W) | 100 x 87mm (18-20W) | 120 x 104mm (30W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12-15W 18-20W 30W	3K / 4K/ 6K/ CCT	80+	36° 36°/ 60° 36°/ 60° 36°	WH BK	72mm 82mm 94mm 113mm




DIMENSIONS: 64 × 55mm (3W) | 78 × 61mm (6-12W) |
98 × 81mm (16-18W) | 122 × 81mm (24-30W)

EFFICIO

An efficient recessed COB with a deep reflector and wide 60° beam for even, comfortable light distribution. Ideal for residences, hospitality spaces, corridors, offices and general architectural lighting.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
3W 6-12W 16-18W 24-30W 40W	3K / 4K / 6K / CCT	80+	60°	WH BK	55mm 68mm 90mm 110mm



DIMENSIONS: 80 x 55mm (12W) | 130 x 85mm (30W) | 140 x 93mm (40W) 140 x 93mm (40W)

HULK

A powerful recessed COB engineered for high-output illumination with excellent colour rendering and a clean architectural finish. Ideal for large retail stores, showrooms, hotel lobbies, offices and commercial spaces.

WATTAGES



12W | 25W |
30W | 40W

COLOR TEMPERATURE



3K / 4K/ 6K/
CCT

CRI



90+

BEAM ANGLES




38°

BODY COLOURS



WH BK

CUTOUT



70mm | -mm |
120mm | 130mm



DIMENSIONS: (01) W64 X H57MM | (02) W65 X H47MM (7W) |
(01) W85 X H67MM | (02) W85 X H62MM (12W)

FIFTY-FIFTY

A compact recessed light with two distinct reflector styles, offering controlled illumination with IP54 protection. Ideal for bathrooms, covered outdoor areas, corridors, hospitality spaces and residences.

WATTAGES



7W | 12W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15°/ 24°/ 36°

BODY COLOURS



WH BK

CUTOUT



01-52MM | 02-52MM
01- 73MM | 02-73MM

IP RATING



IP 54



01



02



DIMENSIONS: 103 X 105mm (30W)

ZENITH

A high-performance recessed COB with a refined adjustable design, allowing light to be directed precisely where required. Ideal for galleries, luxury retail, hotels, feature displays and premium residences.

WATTAGES



30W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




38°

BODY COLOURS




WH BK

CUTOUT



95mm



DIMENSIONS: 112 × 90mm (20W) /
120 × 99mm (30W) / 155 × 87mm (40-50W)

RADAR- MOVABLE

A versatile adjustable downlight designed for flexible beam direction and focused architectural illumination. Ideal for retail displays, galleries, showrooms, restaurants and hospitality interiors.

WATTAGES



20W | 30W |
40-50W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI




80+

BEAM ANGLES




24°/ 36°/ 60°

BODY COLOURS



WH BK

CUTOUT



104mm | 106mm |
145mm



20W | 30W



40-50W





DIMENSIONS: 110 × 88mm (20W) |
117 × 100mm (30W) | 119 × 110mm (40W)

RADAR- FIX

A fixed recessed COB offering strong, consistent illumination with multiple wattage and beam options for efficient lighting layouts. Ideal for offices, retail stores, hotels, commercial interiors and large residential spaces.

WATTAGES

20 W | 30W | 40W

COLOR TEMPERATURE

3K / 4K/ 6K/ CCT

CRI

80+

BEAM ANGLES

24° / 36° / 60°

BODY COLOURS

WH BK

CUTOUT

96mm | 107mm | 114mm



DIMENSIONS: 78 X 71mm (15W)

SINK

A refined recessed COB with a deep-set light source for focused, glare-controlled illumination and excellent visual comfort. Ideal for luxury residences, hotels, restaurants, galleries and boutique retail spaces.

WATTAGES



15W

COLOR TEMPERATURE



3K/ 4K

CRI



90+

BEAM ANGLES




24°

BODY COLOURS



WH BK

CUTOUT



70mm



true®



W90 X L90 X H71mm

SINK- SQUARE

The square-profile version of SINK combines precise illumination with a clean architectural aesthetic and high colour rendering. Ideal for modern residences, offices, hotels, showrooms and premium retail interiors.

WATTAGES



15W

COLOR
TEMPERATURE



3K/ 4K

CRI



90+

BEAM
ANGLES




24°

BODY
COLOURS



WH BK

CUTOUT



70mm



W90 X L175 X H71MM

SINK- DOUBLE

A dual-source recessed fixture offering increased light output while maintaining a minimal, sophisticated ceiling presence. Ideal for retail stores, hotel lobbies, galleries, restaurants and larger residential spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
30W (15Wx2)	3K/ 4K/ CCT	90+	24°	WH	70MM X 2 CENTRE GAP 15MM



W90 X L259 X 71MM

SINK- TRIPPLE

A three-source recessed COB designed for powerful and balanced illumination across larger areas. Ideal for museums, showrooms, luxury retail, commercial spaces and hospitality interiors.





W84 X H86MM

CORNET

A deep square recessed COB designed to reduce glare while providing focused, controlled illumination across multiple beam angles. Ideal for galleries, boutiques, restaurants, hotels and accent lighting applications.

WATTAGES



12W

COLOR TEMPERATURE



3K/ 4K/ 6K/
CCT

CRI



80+

BEAM ANGLES




15° / 24°/ 36°/
60°

BODY COLOURS



WH BK

CUTOUT



76 X 76mm



W84 X L162 X H86MM

CORNET DOUBLE

A dual square recessed fixture combining two controlled light sources for stronger, more even illumination. Ideal for retail displays, hotel lobbies, showrooms, galleries and commercial interiors.

WATTAGES



24W (12Wx2)

COLOR TEMPERATURE



3K/ 4K/ 6K/ CCT

CRI



80+

BEAM ANGLES




15° / 24°/ 36°/ 60°

BODY COLOURS




WH BK

CUTOUT



W76 X L155MM







DIMENSIONS: 40x 63mm (7W) |
59 x 87mm (12W) | 74 x 93mm (18W)

HELIX

A compact recessed COB offering versatile wattages and beam angles for efficient, comfortable architectural lighting. Ideal for residences, offices, cafés, hotels, corridors and general retail lighting.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 18W	3K/ 4K/ 6K/ CCT	80+	24°/ 36°/ 60°	WH BK	35mm 55mm 70mm





DIMENSIONS: 54 x 74mm (7W) | 74 x 86mm (12W) | 95 x 97mm (18W)

DUPPLE-SF

A sleek surface-mounted cylinder designed for focused, glare-controlled illumination with multiple beam angle options. Ideal for residences, retail stores, galleries, cafés and hospitality spaces.

WATTAGES



7W | 12W | 18W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI



80+

BEAM ANGLES




15° / 24° / 36° / 55°

BODY COLOURS



WH BK



HONEYCOMB MESH AVAILABLE



DIMENSIONS: 65x71mm (7-12W) | 85x75mm (15-18W)

DUPPLE-SF-02

A compact surface-mounted COB offering precise illumination in a clean cylindrical form, with a wide 90° light distribution. Ideal for corridors, living spaces, boutiques, restaurants and general ambient lighting.

WATTAGES



7W-12W |
15-18W

COLOR TEMPERATURE



3K / 4K / 6K/
CCT

CRI



90+

BEAM ANGLES



25° / 36° /
60°

BODY COLOURS



WH BK





DIMENSIONS: 75x83 mm (12W)

DUPPLE-SF-WALL WASHER

A surface-mounted wall washer engineered to spread light smoothly across vertical surfaces while maintaining a minimal ceiling profile. Ideal for highlighting artwork, textured walls, displays, hotel interiors and galleries.

WATTAGES



12W

COLOR TEMPERATURE



3K / 4K / 6K /
CCT

CRI




80+

BEAM ANGLES




25° / 36° /
60°

BODY COLOURS



WH BK

CUTOUT



55mm | 75mm





DIMENSIONS: 95x94mm (20W)

PISTON

A powerful surface-mounted downlight with IP65 protection, designed for reliable illumination and strong visual comfort. Ideal for balconies, covered outdoor areas, entrances, hospitality spaces and commercial environments.

WATTAGES



20W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



90+

BEAM ANGLES



36°

BODY COLOURS



WH

BK

IP RATING



IP 65

DIMENSIONS: 55x75mm (7-12W) | 75x82mm (18-20W)

PISTON-02

A versatile IP65 surface cylinder available in multiple wattages for controlled, high-performance illumination. Ideal for façades, balconies, entrances, outdoor corridors and semi-outdoor commercial spaces.

WATTAGES



7-12W |
18-20W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



90+

BEAM ANGLES



24° / 36° / 50°

BODY COLOURS



WH BK

IP RATING



IP 65



DIMENSIONS: 62x76mm (9W) | 82x88mm (15-18W) |
106x118mm (24W) | 106x118mm (30W)

DRAPE

A compact recessed architectural light with a distinctive internal design and focused 90° illumination. Ideal for luxury residences, hotels, boutiques, restaurants, galleries and accent lighting applications.

WATTAGES



9W | 15-18W |
24W | 30W

COLOR TEMPERATURE



3K / 4K / 6K/
CCT

CRI




80+

BEAM ANGLES




Asymmetric

BODY COLOURS



WH BK

CUTOUT



55mm | 75mm |
92mm | 97mm



FRAME W95 X L52 X H78mm (9W)

DRAPE-T

A compact trimless-style recessed light that integrates discreetly into the ceiling for a clean, minimal finish. Ideal for luxury residences, boutiques, galleries, corridors and hospitality spaces.

WATTAGES

9W

COLOR TEMPERATURE3K / 4K / 6K/
CCT**CRI**


80+

BEAM ANGLES

Asymmetric

BODY COLOURS

WH BK

CUTOUT


55mm




DIMENSIONS: 54x79mm (7W) | 74x100mm (12W) |
94x125mm (20W) | 94x160mm (30W)

BARREL

A compact trimless-style recessed light that integrates discreetly into the ceiling for a clean, minimal finish. Ideal for luxury residences, boutiques, galleries, corridors and hospitality spaces.





HONEYCOMB MESH
AVAILABLE FOR 12W

OBLIQUE-SF

A distinctive surface-mounted cylinder with an angled light opening that adds architectural character while directing light precisely. Ideal for feature walls, artwork, boutiques, restaurants, hotels and premium residential spaces.

WATTAGES



12W | 18W |
24W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI




80+

BEAM
ANGLES



36°

BODY
COLOURS



WH BK G

W45 X H103MM (12W) | W55 X H114 (18W) | W63 X H130MM (24W)

ORB

A compact directional spotlight available in single and multi-light configurations for flexible accent illumination. Ideal for display areas, wardrobes, retail shelves, galleries, residences and hospitality interiors.

DIMENSIONS: 60x75mm (7W) | 161x65x7mm (7Wx2)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 14W (7Wx2)	3K / 4K / 6K / CCT	80+	24° / 36°	WH BK	55mm 150 X 58mm



7W



14W





SPY

DIMENSIONS: 38x181mm (6W-SF)

A slim surface-mounted adjustable spotlight offering precise directional lighting with a minimal profile. Ideal for artwork, display areas, bedside lighting, cafés and contemporary residential spaces.

WATTAGES



6W-SF

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES



15° / 36°

BODY COLOURS



WH BK






SNOOP

A versatile recessed adjustable spotlight combining directional flexibility with controlled beam options for precise illumination. Ideal for retail displays, galleries, hotels, residences and restaurants.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
5W 7W 12W	3K / 4K / 6K / CCT	80+	25° 24° 38°	WH BK	55mm 55mm 75mm



true®



HONEYCOMB MESH AVAILABLE

SNOOP DOUBLE

A dual adjustable spotlight that provides focused illumination in two directions from a single fitting. Ideal for larger displays, retail stores, galleries, showrooms, hotel lobbies and commercial interiors.




HONEYCOMB MESH
AVAILABLE



SNOOP-T

A trimless recessed COB that blends seamlessly into the ceiling while delivering clean, focused illumination. Ideal for luxury residences, galleries, boutiques, hotels and minimal architectural interiors.



112x181x17mm (12W-Trimless)



PLUCK

A compact modular spotlight system with single and triple configurations, designed for precise directional accent lighting. Ideal for retail displays, artwork, showcases, galleries and contemporary residences.

WATTAGES



1 × 3W |
3 × 3W

COLOR
TEMPERATURE



3K / 4K / 6K

CRI




80+

BEAM
ANGLES




30°

BODY
COLOURS



WH BK

CUTOUT



40×35mm |
96×35mm

W40 X L43 X H60MM (3W)





W40 X L102 X H60MM (9W)



TUREEN

A recessed adjustable downlight with a wide 45° beam, offering comfortable and controlled illumination. Ideal for residences, hotels, restaurants, corridors and retail interiors.



WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
9W 9W (SQUARE) 18W (9W x2)	3K / 4K / 6K / CCT	80+	45° 45° 38°	WH BK	73mm 73×73mm 140×73mm





7W 01



7W 02

53 x 178mm (7W 01) | 62 x 253mm (7W 02)

FLUTE

A slim, elongated spotlight with a minimal profile, designed to create precise pools of focused light. Ideal for bedside lighting, artwork, display shelves, boutiques, cafés and galleries.

WATTAGES



7W-01 |
7W-02

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES




24°

BODY COLOURS



WH BK

CUTOUT



45mm |
55mm

50 x 52mm (3W) | 61 x 65mm (7W) | 82 x 90mm (12W)

STOUT

A compact adjustable spotlight combining a clean form with directional flexibility and multiple beam options. Ideal for retail displays, residences, hotels, restaurants, galleries and accent lighting applications.

WATTAGES



3W | 7W | 12W

COLOR TEMPERATURE



3K / 4K / 6K |
3K / 4K / 6K / CCT |
3K / 4K / 6K / CCT

CRI




80+

BEAM ANGLES




24° | 36° |
38°

BODY COLOURS




WH BK

CUTOUT



45mm | 55mm |
70mm



HONEYCOMB MESH
AVAILABLE for 7W & 12W



W85 X H117mm (18W)

POD

A refined surface-mounted cylinder with a smooth sculptural form, delivering focused 36° illumination with high colour accuracy. Ideal for luxury residences, boutiques, restaurants, hotel interiors and feature lighting.

WATTAGES



18W

COLOR
TEMPERATURE3K / 4K / 6K /
CCT

CRI




90+

BEAM
ANGLES

36°

BODY
COLOURS

WH BK G



W55 X H149MM (10W)

HINGE

A slim, adjustable spotlight designed for precise directional illumination while maintaining a minimal architectural presence. Ideal for artwork, wardrobes, display shelves, galleries, retail spaces and accent lighting.

WATTAGES



10W

COLOR
TEMPERATURE

3K / 4K / 6K

CRI



80+


BEAM
ANGLES

36°

BODY
COLOURS

WH

CUTOUT



45MM





FORM & MATERIAL

A study of shape,
texture, and
timeless built.



W61 X H213mm (20W) | W70 X H236mm (30W)

SHUTTER-02

A powerful track-mounted spotlight designed for higher-output, controlled illumination across larger spaces. Ideal for showrooms, large retail stores, galleries, museums, exhibition spaces and hospitality projects.

WATTAGES



20W | 30W

COLOR TEMPERATURE



3K / 4K / 6K

CRI




80+

BEAM ANGLES



38°

BODY COLOURS



WH BK


TRIVIAL

A compact adjustable spotlight available in recessed and surface-mounted configurations, combining flexibility with a clean contemporary form. Ideal for residences, boutiques, hotels, corridors, displays and accent lighting.

W75 X H85mm (12W) | W75 X H72mm (SF 12W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
12W S-12W	3K / 4K / 6K / CCT 3K / 4K / 6K	80+	36°	WH BK	75mm -





RECLINER

A high-output adjustable spotlight engineered for powerful, controlled illumination across larger architectural spaces. Ideal for showrooms, museums, large retail stores, hotel lobbies, galleries and exhibition spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
10W 20W 30W 40W	3K / 4K / 6K / CCT	80+	24° / 36° / 60°	WH BK	88mm 125mm 136mm 138mm

RECLINER 02

A contemporary adjustable COB with a distinctive exposed reflector design. Ideal for premium retail, museums, galleries, showrooms, hospitality spaces and feature displays.

105 x 90mm (30W) | 135 x 100mm (40W)

WATTAGES



30W | 40W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI




80+

BEAM ANGLES




24° / 36° / 60°

BODY COLOURS



WH BK

CUTOUT



95mm | 125mm



OBLIQUE- TRACK

A sleek track-mounted cylinder with an angled opening, designed to deliver precise 36° illumination with a distinctive architectural form. Ideal for retail stores, galleries, museums, restaurants, showrooms and feature displays.

WATTAGES



12W | 18W |
24W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES




36°

BODY COLOURS



WH BK G

46 x 161mm (12W) | 55 x 165mm (18W) | 62 x 178mm (24W)




HONEYCOMB MESH
AVAILABLE



ORB

A compact spotlight available in track and surface-mounted configurations, offering focused illumination in a minimal form. Ideal for boutiques, wardrobes, display shelves, cafés, residences and accent lighting.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT	IP RATING
						
7W-TRACK 7W-SF	3K / 4K / 6K	80+	24° / 36°	WH BK	EDP W96MM -	- IP 65

W70 X H130MM (CROSS ROTATION) | W70 X H95MM (CROSS ROTATION)



7W-TRACK



7W-SF



RADAR- TRACK 01

A powerful adjustable track light with multiple beam-angle options, providing flexible and controlled illumination for larger spaces. Ideal for showrooms, museums, galleries, retail stores, exhibitions and commercial interiors.

WATTAGES



20W | 30W |
40W

COLOR TEMPERATURE



3K / 4K / 6K /
CCT

CRI




80+

BEAM ANGLES



24° / 36° |
60°

BODY COLOURS



WH BK

87 x 167mm (20W) | 87 x 167mm (30W) | 96 x 100mm (40W)



RADAR- TRACK 02

A contemporary track-mounted spotlight designed for precise directional control with high-output performance. Ideal for artwork, retail displays, galleries, hotel spaces, showrooms and restaurants.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS
				
20W 30W 40W	3K / 4K / 6K 3K / 4K / 6K / CCT 3K / 4K / 6K / CCT	80+	24° / 36° 60°	WH BK

96 x 100mm (20W) | 96 x 100mm (30W) | 96 x 100mm (40W)



100 x 175mm (30W)

RADAR- TRACK 03

A compact track spotlight combining a clean cylindrical form with adjustable 24°, 36° and 60° beam options. Ideal for boutiques, galleries, museums, displays, hospitality spaces and premium residences.

WATTAGES



30W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI




80+

BEAM
ANGLES



24° / 36° |
60°

BODY
COLOURS



WH BK



W116 X H210mm (30W)

HAWK

A slim, highly directional track spotlight designed to deliver powerful focused illumination while maintaining a minimal ceiling presence. Ideal for galleries, exhibitions, large retail spaces, showrooms, museums and feature lighting.

WATTAGES



30W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI




80+

BEAM ANGLES




24° | 36° | 60°

BODY COLOURS



WH BK

CUTOUT




EDP W215mm





VORTEX-C/SF

A compact, high-performance spotlight with 8°–40° zoomable beam control, allowing precise adjustment from focused accents to wider illumination. Ideal for galleries, museums, retail displays, hotels, showrooms and premium residences.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 24W	3K / 4K / 6K / CCT 3K / 4K / 6K / CCT 3K / 4K / 6K	80+	8°-40° ZOOMABLE	WH BK	70mm



W45 X H115 X END TO END H170MM (7W) | W45 X H115 X END TO END H170MM (12W) | W77 X H150 X END TO END H214MM (24W)


VORTEX-TRACK

The track-mounted Vortex combines flexible positioning with a zoomable 8°–40° beam, making it easy to adapt lighting as displays and layouts change. Ideal for retail stores, exhibitions, art galleries, museums and showrooms.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
7W 12W 24W	3K / 4K / 6K / CCT 3K / 4K / 6K / CCT 3K / 4K / 6K	80+	8°-40° ZOOMABLE	WH BK	0mm

VELOX-C/SF


A sleek cylindrical spotlight with a clean architectural profile and 36° beam angle, delivering balanced, focused illumination across a range of wattages. Ideal for boutiques, restaurants, hotels, residences, display areas and commercial interiors.





VELOX-TRACK

A minimal track-mounted spotlight designed for flexible directional lighting with a consistent 36° beam spread. Ideal for galleries, retail stores, cafés, showrooms, hospitality spaces and product displays.



WATTAGES



7W | 12W |
24W

COLOR TEMPERATURE



3K / 4K / 6K / CCT |
3K / 4K / 6K / CCT |
3K / 4K / 6K

CRI




80+

BEAM ANGLES




36°

BODY COLOURS



WH BK

CUTOUT



EDP W109mm |
EDP W88mm |
EDP W88mm






47 x 195 x 130mm (12W)

PROJECT CONCEAL

A discreet recessed projector spotlight designed to blend seamlessly into the ceiling while delivering precise, focused illumination with a 25°–36° beam. Ideal for art galleries, museums, premium retail, exhibitions and display spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
12W	3K	80+	25°–36°	WH BK	52mm





47 x 195 x 130mm

PROJECT SURFACE

A surface-mounted projector light that combines a distinctive technical form with controlled directional illumination. Ideal for showrooms, galleries, boutiques, hospitality spaces and areas where architectural lighting becomes part of the design.

WATTAGES



12W

COLOR
TEMPERATURE



3K

CRI




80+

BEAM
ANGLES



25°-36°

BODY
COLOURS



WH BK



47 x 195 x 130mm

PROJECT MAGNETIC TRACK

A flexible magnetic-track projector spotlight designed for easy positioning and precise accent lighting as spatial requirements change. Ideal for retail displays, galleries, museums, exhibitions and contemporary commercial interiors.

WATTAGES



12W

COLOR
TEMPERATURE

3K


CRI




80+

BEAM
ANGLES

25°-36°

BODY
COLOURS

WH BK



ACCESSORIES

PHOTO	NAME
	2WIRE TRACK 1 METER
	2WIRE TRACK 2 METER
	STRAIGHT JOINTER
	L JOINTER
	3WIRE TRACK 1 METER
	3WIRE TRACK 2 METER
	STRAIGHT JOINTER
	L JOINTER

DIFFUSED LIGHTS



DISC

A clean, circular diffused light designed to deliver soft, uniform illumination with a wide 120° beam, reducing harsh shadows and creating comfortable ambient lighting. Ideal for offices, retail stores, hotels, corridors and residential spaces.

WATTAGES



12W | 18W | 24W

COLOR TEMPERATURE



3K / 4K / 6K / CCT | 3K / 4K / 6K / CCT | 3K / 4K / 6K

CRI



80+

BEAM ANGLES




120°

BODY COLOURS



WH BK

CUTOUT



111mm | 146mm | 166mm





W110 X L110 X H56MM (12W) |

W145 X L145 X H58MM (18W)

DISC- SQUARE

A contemporary square recessed light offering wide, evenly distributed illumination in a minimal architectural form. Ideal for offices, commercial spaces, showrooms, corridors and modern residences.

WATTAGES



12W | 18W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI



80+

BEAM ANGLES




110°

BODY COLOURS



WH BK

CUTOUT




100 X 100mm | 135 X 135mm





BOWL

A recessed diffused luminaire with a soft, curved profile that provides balanced, glare-controlled general lighting with a 120° beam. Ideal for hotels, restaurants, offices, lounges and residential interiors.



WATTAGES



12W | 18W | 24W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI



80+

BEAM ANGLES



120°

BODY COLOURS



WH BK

CUTOUT




85mm | 94mm | 116mm





DRUM

A surface-mounted diffused light combining a compact cylindrical form with soft, widespread illumination. Ideal for cafés, hotels, corridors, offices, reception areas and homes.



WATTAGES



8W | 15W |
22W

COLOR TEMPERATURE



3K / 4K / 6K / CCT |
3K / 4K / 6K / CCT |
3K / 4K / 6K

CRI



80+

BEAM ANGLES




120°

BODY COLOURS




WH BK





ORIN

A minimal surface-mounted diffused light with a wide 120° beam, designed to provide clean and comfortable ambient illumination. Ideal for residences, hotels, offices, corridors, retail and hospitality spaces.



WATTAGES



10W | 18W |
24W

COLOR TEMPERATURE



3K / 4K / 6K /
CCT

CRI




80+

BEAM ANGLES



120°

BODY COLOURS



WH BK




LASER BLADES



SHAFT

A compact multi-cell recessed light designed to deliver controlled, glare-reduced illumination with a 36° beam. Its clean circular form makes it ideal for residences, hotels, boutiques, corridors and display areas.


WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
6W 12W	3K / 4K / 6K	80+	36°	WH BK	55mm 73mm



6W




12W



W52 X L52 X H57MM (5W) | W54 X L130 X H50MM (12W)

GRID - 5W / 12W

A sleek recessed grid light offering focused illumination through a compact linear design. Ideal for retail displays, wardrobes, galleries, residences and hospitality spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
5W 12W	3K / 4K / 6K / CCT 3K / 4K / 6K	80+	24° / 38°	WH BK	45 × 45mm 45 × 120mm



5W




12W



W90 X L90 X H57MM (16W) | W52 X L204 X H57MM (20W)

GRID - 16W / 20W

Designed for stronger, evenly controlled illumination, this Grid range combines multiple light points with precise beam distribution. Ideal for offices, showrooms, retail stores, restaurants and commercial interiors.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
16W 20W	3K / 4K / 6K / CCT	80+	24° / 38°	WH BK	85 × 85mm 45 × 198mm



16W




20W

W130 X L130 X H52MM (36W) | W54 X L395 X H50MM (50W)

GRID - 36W / 50W

A high-output grid lighting solution designed to illuminate larger spaces while maintaining visual comfort and control. Ideal for large retail stores, showrooms, offices, galleries and high-traffic commercial spaces.

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
36W 50W	3K / 4K / 6K	80+	24° / 38°	WH BK	125 × 125mm 45 × 387mm



36W



50W



GRID - SF

A surface-mounted grid light designed to provide controlled, glare-reduced illumination with precise beam distribution. Ideal for offices, retail stores, showrooms, galleries and commercial interiors.

W82 X L82 X H80MM (16W) | W120 X L120 X H90MM (36W)

WATTAGES



16W-SF |
36W-SF

COLOR TEMPERATURE



3K / 4K / 6K

CRI




80+

BEAM ANGLES



24° / 38°

BODY COLOURS



WH BK



16W-SF



36W-SF





5W



12W



20W

W32 X L62 X H40MM (5W) | W32 X L109 X H40MM (12W) |

W32 X L205 X H40MM (20W)

SLENDER

A slim linear recessed light that combines a minimal profile with focused 38° illumination for clean, comfortable lighting. Ideal for residences, boutiques, hotels, corridors and retail displays.

WATTAGES



5W | 12W |
20W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES




38°

BODY
COLOURS



WH BK

CUTOUT



W27 X L57MM |
W27 X L104MM |
W27 X L200MM

W49 X L142 X H41MM (M 12W) | W49 X L256 X H41MM (M 20W)

SLENDER-M

A refined linear module featuring multiple light points for uniform and focused illumination with a 36° beam. Ideal for offices, showrooms, hospitality spaces, galleries and premium retail.

WATTAGES



M-12W |
M-20W

COLOR
TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM
ANGLES




36°

BODY
COLOURS



— —
WH BK

CUTOUT




W43 X L135MM |
W43 X L250MM



SLENDER-02

A compact linear recessed light designed for subtle, precise illumination in smaller architectural spaces. Ideal for wardrobes, niches, corridors, residences and display areas.



WATTAGES



3W | 5W |
7W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

BEAM ANGLES




36°

BODY COLOURS




WH BK

CUTOUT



27 X 27MM |
W27 X L48MM |
W27 X L71MM





W27 X L93MM (10W) | W32 X L119 X H56MM (12W) | W32 X L140 X H56MM (16W) | W32 X L227 X H56MM (25W)

SLENDER-02

A compact linear recessed light designed for subtle, precise illumination in smaller architectural spaces. Ideal for wardrobes, niches, corridors, residences and display areas.

WATTAGES



10W | 12W |
16W | 25W

COLOR TEMPERATURE



3K / 4K / 6K

CRI




80+

BEAM ANGLES




36°

BODY COLOURS




WH BK

CUTOUT



W27 X L93MM |
W27 X L114MM |
W27 X L135MM |
W27 X L222MM





2W



4W



12W

20W



MATRIX

A compact linear recessed light designed for subtle, precise illumination in smaller architectural spaces. Ideal for wardrobes, niches, corridors, residences and display areas.

44 X 44 (2W) | W45 X L75 X H55 (4W) | W45 X L147MM X H55MM (12W) | 53 X 280 (20W)

WATTAGES



2W | 4W |
12W | 20W

COLOR TEMPERATURE



3K / 4K / 6K |
3K / 4K / 6K |
3K / 4K / 6K / CCT
3K / 4K / 6K / CCT

CRI




80+

BEAM ANGLES




36°

BODY COLOURS




WH BK

CUTOUT



W35 X L35 |
W35 X L66 |
W35 X L140MM |
W35 X L270MM





W32 X L32 X H56MM (3X2W) | W32 X L54 X H56MM (5X2W) | W32 X L97 X H56MM (7X2W)

IOTA

A sleek linear lighting system featuring multiple light points for uniform, controlled illumination with a focused 30° beam. Ideal for offices, retail displays, galleries, restaurants and contemporary commercial spaces.

WATTAGES



3 X 2W
6 X 2W
12 X 2W

COLOR TEMPERATURE



3K / 4K / 6K/
CCT

CRI




80+

BEAM ANGLES




30°

BODY COLOURS



WH BK

CUTOUT




W27 X L69MM |
W25 X L128MM |
W27 X L248MM




IOTA-T

A trimless version of the IOTA, designed to integrate seamlessly into the ceiling for a clean, minimal architectural appearance. Ideal for premium residences, hotels, boutiques, galleries and modern offices.




IOTA-02


A compact recessed linear light designed for subtle, focused illumination in smaller spaces. Ideal for wardrobes, niches, corridors, display areas and residential interiors.



WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
3W 5W 7W	3K / 4K / 6K / CCT	80+	30°	WH BK	W27 X L27MM W27 X L48MM W25 X L67MM



7W



5W



3W



IOTA-02

A higher-output linear recessed solution offering balanced, glare-controlled illumination with a sleek profile. Ideal for retail stores, showrooms, offices, hotels and commercial interiors.

97x35x55mm (10W) | 119x35x55mm (12W) | 140x35x55mm (16W) | 227x35x55mm (25W)

WATTAGES



10W | 12W |
16W | 25W

COLOR TEMPERATURE



3K / 4K / 6K /
CCT

CRI




80+

BEAM ANGLES




36°

BODY COLOURS



WH BK

CUTOUT



W25 X L89MM |
W25 X L111MM |
W25 X L132MM |
W25 X L219MM



25W



16W



12W



10W



OVATE

A refined linear recessed light with a soft-edged profile, offering 24°, 36° and 45° beam options for flexible lighting design. Ideal for boutiques, hotels, residences, galleries and display areas.

W102 X L42 X H55MM (6W) | W161 X L42 X H55MM (10W) | W312 X L42 X H55MM (20W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
6W 10W 20W	3K / 4K / 6K / CCT	80+	24°/36°/45°	WH BK	W96 X L36MM W156 X L36MM W306 X L36MM



6W



10W



20W






7W



15W



25W



SLICE

A clean, minimal linear luminaire designed to provide focused 36° illumination across multiple wattage options. Ideal for offices, retail stores, restaurants, corridors and contemporary commercial interiors.

W61 X L32 X H72MM (7W) | W119 X L33 X H72MM (15W) | W232 X L33 X H72MM (25W)

WATTAGES



7W | 15W |
25W

COLOR TEMPERATURE



3K / 4K / 6K /
CCT

CRI



80+

BEAM ANGLES



36°


BODY COLOURS



WH BK

ZODIAC

A distinctive circular multi-optic downlight designed to deliver balanced, focused illumination with a 38° beam. Ideal for hotel lobbies, restaurants, residences, retail spaces and reception areas.



WATTAGES



8W | 15W

COLOR TEMPERATURE



3K / 4K / 6K / CCT

CRI



80+

BEAM ANGLES




38°

BODY COLOURS



WH BK

CUTOUT




75mm | 120mm




ZODIAC

A distinctive circular recessed light with a ring of precision optics, delivering balanced illumination with a 38° beam. Ideal for hotel lobbies, retail spaces, restaurants, offices and premium residences.



WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
20W 30W	3K / 4K / 6K / CCT	80+	38°	WH BK	165mm 205mm





6W



12W



18W

LEGO

A compact recessed multi-cell light with a clean geometric profile and focused 36° illumination. Ideal for retail displays, galleries, boutiques, corridors and residential interiors.


56x56x45mm (6W) | 99x56x42mm (12W) | 142x56x42mm (18W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
6W 12W 18W	3K / 4K / 6K	80+	36°	WH BK	W50 X L50MM W50 X L93MM W50 X L136MM



LEGO-SF

A surface-mounted version of the LEGO, combining a bold box profile with controlled 36° directional lighting. Ideal for offices, showrooms, restaurants, retail stores and spaces without recessed ceilings.



WATTAGES



6W | 12W |
18W

COLOR TEMPERATURE



3K / 4K / 6K /
CCT

CRI




80+

BEAM ANGLES



36°

BODY COLOURS




WH BK






CHIMERA

A sleek linear recessed luminaire with multiple optics for uniform, glare-controlled 36° illumination. Ideal for offices, retail stores, galleries, hospitality spaces and modern commercial interiors.



WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS	CUTOUT
					
7W 12W 25W	3K / 4K / 6K / CCT	80+	36°	WH BK	60×35mm 120×35mm 270×35mm

MODULAR SERIES



01



02



03



04



05




FRONT
OPENABLE

INLAY

A compact modular lighting system designed for flexibility and precise illumination, with multiple forms and configurations to suit different design requirements. Ideal for retail displays, galleries, hospitality spaces, residences and focused accent lighting.


W60 X H36MM (6W) | W80 X H52MM (12W)

WATTAGES	COLOR TEMPERATURE	CRI	BEAM ANGLES	BODY COLOURS
				
7W-01,02,03,04 D	3K / 4K / 6K / CCT -	80+ -	36°-38° -	WH BK



CASKET

A compact modular lighting system designed for flexibility and precise illumination, with multiple forms and configurations to suit different design requirements. Ideal for retail displays, galleries, hospitality spaces, residences and focused accent lighting.



WATTAGES



01, 01-T |
02, 02-T |
03, 03-T |
04 |
04-T

COLOR TEMPERATURE



3K / 4K / 6K / CCT
-

CRI



80+ | -

BEAM ANGLES



36°-38° | -

BODY COLOURS




WH BK


RETROFITS



TWEAK

A compact, high-performance recessed downlight designed for clean, focused illumination with minimal visual presence. Its precise 36° beam makes it ideal for retail stores, residences, hotels, restaurants, galleries and display areas.



WATTAGES  12W 15W	COLOR TEMPERATURE  3K / 4K / 6K / CCT -	CRI  80+ -	BEAM ANGLES  36°	BODY COLOURS  BK	CUTOUT  47MM
IP RATING  IP 44					





GYPSUM

A seamless gypsum recessed fixture that blends effortlessly into the ceiling for a refined, trimless look. Ideal for luxury residences, hotels, boutiques, restaurants, corridors and contemporary commercial spaces.

W120 X L120 X H45MM

BODY
COLOURS



—

WH



STRIPS, SMPs, REMOTE



LED STRIPS

Flexible linear lighting designed to deliver smooth, continuous illumination across architectural details.

Applications: Cove ceilings, shelves, wardrobes, display units, furniture details and decorative accents.


LED	Size		Voltage	IP Rating
60	8mm	(3K,4K,6K)	12V / 24V	IP20 / IP65
120	5mm			IP20
	8mm			IP20 / IP65
168	5mm			IP20 / IP65
	10mm			IP20 / IP65
240	10mm	3 IN 1	12V / 24V	IP20
240	10mm		24V	IP20
192	8mm			



SMPs

Reliable power supply units engineered for stable and efficient operation of LED lighting systems.
Applications: LED strips, linear lighting, signage, retail displays and architectural lighting installations.

12V	24V
24W - 2A	60W-2.5A
36W - 3A	100W-4.1A
60W-5A	120W-5A
100W-8.3A	150W - 6.25A
120W-10A	200W - 8.3A
150W - 12.5A	300W-12.5A
200W-16.6A	400W-16.6A
300W-25A	
400W-33.3A	



IP65-RATED SMPs


Weather-resistant power supplies designed to provide dependable performance in areas exposed to moisture and dust.
Applications: Façades, landscape lighting, outdoor signage, terraces, gardens and exterior architectural lighting.


12V-IP65	24V-IP65
60W - 5A	60W - 2.5A
100W - 8.3A	100W - 4.1A
200W-16.6A	200W - 8.3A
300W-25A	300W - 12.5A
400W-33.3A	400W - 16.6A



FOOT

A compact recessed fixture that provides subtle, low-level illumination for safer movement while maintaining a clean architectural look. Ideal for staircases, corridors, pathways, hotel rooms, theatres and residential spaces.



WATTAGES	COLOR TEMPERATURE	CRI	BODY COLOURS	CUTOUT
 3W	 3K	 80+	  WH BK	 35mm
04	05	06		
				
				
09	10	12		

OUTDOOR LIGHTS/
OUTDOOR SERIES



W80 X H67MM

FOCAL-TWO WAY

A compact outdoor wall light designed to create a focused, defined beam with minimal visual presence. Ideal for facades, pathways, entrances, balconies and landscape walls.

WATTAGES



6W (3Wx2)

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



WH

DARK GREY





BRICK

A sleek architectural wall light that creates a sharp linear or upward lighting effect, adding depth and character to surfaces. Ideal for facades, boundary walls, columns, corridors and entrances.

W75 X L58 X H171

WATTAGES



3.5W- 01, 02

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY



W75 X L57 X H240MM

BRICK

A higher-output version of Brick, designed for stronger architectural illumination with multiple light-distribution styles. It combines functional outdoor lighting with a dramatic visual effect. Ideal for large façades, hotel exteriors, entrance walls, gardens and commercial spaces.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS
				
6W- 01, 02, 03	3K	80+	IP 65	DARK GREY



01



02



03

W48 X L123 X H60

SCOPE SQUARE ONE WAY

A clean square wall light delivering a precise single-direction beam for controlled illumination. Its geometric design works beautifully with contemporary architecture. Ideal for pathways, balconies, exterior walls, entrances and residential façades.

WATTAGES



6W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY





W90 X L147 X H260



SCOPE SQUARE- UP & DOWN

Designed to cast light in both directions, Scope Square Up & Down creates a balanced architectural wash that enhances wall surfaces. Ideal for hotel façades, residences, columns, entrance walls and outdoor lounges.

WATTAGES



12W (6Wx2)

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY

W58 XL75

SCOPE PRO- ONE WAY

A compact cylindrical fixture engineered for concentrated directional lighting with a refined architectural appearance. Ideal for walkways, exterior accent lighting, landscape walls, entrances and hospitality spaces.

WATTAGES



6W (6Wx1)

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY





SCOPE PRO- UP & DOWN

A contemporary cylindrical wall light that produces defined upward and downward beams, adding depth and rhythm to exterior architecture. Ideal for façades, pillars, resort exteriors, balconies and feature walls.

WATTAGES



12W (6Wx2)

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY

W58 X L150



DORMER

Dormer is designed to softly illuminate around windows and architectural openings, enhancing their form without overpowering the façade. Ideal for residential windows, villas, hotels, heritage-inspired façades and exterior architectural detailing.

W92 X L39 X H125mm

WATTAGES



9W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE GREY

BEAM
ANGLES



3° X 115°



CREASE

A sleek wall-mounted fixture that creates sharp, symmetrical up-and-down beams for a striking architectural effect. Available in multiple wattages for different lighting requirements. Ideal for feature walls, hotel exteriors, residences, entrances and commercial façades.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS
				
4W 6W 8W	3K	80+	IP 65	GRAPHITE GREY

W60 X L35 X H100MM (4W) | W80 X L35 X H100MM (6W) | W105 X L35 X H100MM (8W)
(M8) WW001H X H100MM



4W



6W



8W





SLAB

A bold architectural wall light that combines diffused forward illumination with striking up-and-down beams. Its geometric form brings both function and visual character to exterior walls. Ideal for hotel façades, entrances, residences, balconies and feature walls.

W153 X L75 X H65MM (9W) | W302 X L75 X H65MM (18W)

WATTAGES



9W | 18W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY



BROLLY

A contemporary interpretation of the classic outdoor lantern, Brolly provides soft, welcoming illumination with a timeless silhouette. Ideal for residential entrances, verandas, cafés, resorts, patios and garden walls.

WATTAGES



13W-Wall

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY

W120 X L175 X H235MM





CANOPY

A sleek bollard-style light designed to provide subtle downward illumination while maintaining a minimal presence within the landscape. Ideal for garden pathways, lawns, resort landscapes, driveways and outdoor walkways.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS
				
9W- BOLLARD	3K	80+	IP 65	DARK GREY

110 x 500 mm (9W)



W150 X L125 X H260MM

TIMBER WALL

Combining a warm timber accent with a structured dark frame, Timber Wall adds a decorative architectural element while creating a soft ambient glow. Ideal for luxury residences, resorts, hotel entrances, patios and outdoor lounges.

WATTAGES



9W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY





W113 X L110 X H235MM

CHALICE WALL

A modern lantern-inspired wall fixture with a clean framed profile and visible light source, bringing warmth and character to exterior spaces. Ideal for entrances, balconies, villas, cafés, restaurants and hospitality spaces.

WATTAGES



9W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY



W245 X L65 FROM WALL X H155

FLOOD

A powerful, functional outdoor fixture designed to deliver broad and uniform illumination across larger areas. Its clean construction keeps the appearance architectural and understated. Ideal for building façades, parking areas, landscapes, commercial exteriors and large outdoor spaces.

WATTAGES



30W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 54

BODY
COLOURS



DARK GREY

W163 X L193 X H65MM

DISCUS

A compact circular wall light with a contemporary profile, designed to provide soft, controlled illumination with minimal visual clutter. Ideal for balconies, entrances, corridors, terraces and residential exteriors.

WATTAGES



12W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 54

BODY
COLOURS



DARK GREY





W45 X L97 X H500MM (10W) | W45 X L97 X H800MM (12W)

LINE-W

A slender vertical wall light that creates an elegant linear glow, highlighting architectural surfaces while adding visual height and rhythm. Ideal for hotel façades, columns, entrance walls, residences and modern commercial exteriors.

WATTAGES



10W | 12W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 54

BODY COLOURS



DARK GREY



FLASK

A sleek linear wall fixture designed to create a broad, diffused wash of light across exterior surfaces. Its minimal form makes it particularly suited to contemporary architecture. Ideal for large façades, boundary walls, hotels, residences, entrances and commercial buildings.

WATTAGES



16W | 25W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY

W60 X L93 X H500MM (16W) | W60 X L93 X H1000MM (25W)





W201 X L201 X H 330MM (Small) | W335 X H530MM (Large)

HUNCH

A decorative outdoor floor light with a sculptural cage form that creates a soft, atmospheric glow and beautiful shadow play. Ideal for resort landscapes, patios, lawns, outdoor lounges and luxury residences.

WATTAGES



Small | Large

BULB HOLDER



E27

IP RATING



IP 65

BODY COLOURS



DARK GREY



TIMBER-BOLLARD-SMALL

A compact bollard combining warm timber detailing with a contemporary frame, creating ambient light close to the ground. Ideal for garden beds, pathways, poolside areas, resort landscapes and residential exteriors.

WATTAGES



9W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY

W160 X H203MM



TIMBER-BOLLARD-BIG

A taller version designed to provide greater visual presence while softly illuminating the surrounding area. Ideal for driveways, hotel gardens, pathways, large lawns and landscaped outdoor spaces.

W160 X H500MM

WATTAGES



9W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY





W16 X L75 X H600MM

FOCAL-BOLLARD

A taller version designed to provide greater visual presence while softly illuminating the surrounding area. Ideal for driveways, hotel gardens, pathways, large lawns and landscaped outdoor spaces.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



SANDY
DARK GREY



W160 X H155MM

SURROUND-01

A compact diffused floor light designed to spread a soft, uniform glow around its surroundings. Ideal for walkways, gardens, terraces, poolside spaces and hospitality landscapes.

WATTAGES



15W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY



W160 X H155MM

SURROUND-02

A contemporary lantern-style floor light that combines diffused illumination with subtle shadow patterns for added visual interest. Ideal for resorts, gardens, outdoor lounges, pathways and residential landscapes.

WATTAGES



15W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING




IP 65

BODY
COLOURS



DARK GREY





63 x 121 x 60mm

LUMIBAR

A compact adjustable outdoor light designed for precise directional illumination, allowing the beam to be positioned as required. Ideal for façades, landscape features, signage, pathways and architectural accents.

WATTAGES



6W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY

W160 X H550MM

TRAID

A slender, geometric bollard with an open-frame design that adds architectural character while providing subtle ground illumination. Ideal for modern landscapes, hotel pathways, gardens, entrances and premium residences.

WATTAGES



12W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY



W140 X H520MM (S) | W140 X H820MM (L)

PAVILLION

A refined, minimal bollard designed to cast controlled downward light while blending seamlessly into contemporary landscapes. Ideal for pathways, driveways, resort grounds, lawns and commercial outdoor spaces.

WATTAGES



12W S | 12W L

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY





W50 X H1200MM

TOTEM

A tall, minimal bollard featuring an integrated vertical light strip for a clean and contemporary glow. Ideal for driveways, pathways, hotel landscapes, entrances and modern residential exteriors.

WATTAGES



18W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY



W25 X L1000MM (15W) | W25 X L1200MM (19W) | W25 X L1600MM (25W)
W25 X H800 MM (2W) | W25 X 5CM | W25 X 10CM

LINE-B

A slender architectural bollard designed to deliver subtle linear illumination while maintaining a minimal profile. Available in multiple heights for flexible landscape planning. Ideal for walkways, gardens, resorts, commercial landscapes and residential pathways.

WATTAGES



12W | 15W |
19W | 25W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS




DARK GREY




STREAK


A structured outdoor wall light with concealed and surface options, designed to provide controlled illumination while reducing glare. Ideal for exterior walls, pathways, staircases, corridors, parking areas and building façades.



12W- Conceal



12W- Surface





W150 X L55 X H70MM (6W) | W250 X L98 X H90MM (12W)

ENCLOSED

A recessed architectural wall light that directs illumination downward while keeping the light source neatly concealed. Ideal for steps, pathways, boundary walls, corridors, ramps and outdoor circulation areas.

WATTAGES



6W | 12W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY

W120 X L53 X H120MM (3.5W)

TAPER

A compact wall-mounted light designed to cast a narrow, focused beam across the surface for subtle architectural highlighting. Ideal for pathways, staircases, entrance walls, landscape features and exterior accent lighting.

WATTAGES



3.5W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY



W250 X L94 X H98MM

GRILL

A contemporary recessed wall light with a distinctive grilled face that provides controlled, glare-reduced illumination close to the ground. Ideal for walkways, steps, driveways, boundary walls, parking areas and outdoor corridors.

WATTAGES



12W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY



VANGUARD

A contemporary architectural wall light that creates a balanced up-and-down lighting effect with a clean, minimal form. Ideal for hotel façades, entrances, residences, balconies, columns and feature walls.

WATTAGES



10W DOWN |
6W UP

COLOR TEMPERATURE



3K

CRI



80+

IP RATING




IP 65

BODY COLOURS



DARK GREY

W149 X L72 X H60MM



W150 X L155 X H31MM

NOTE

A versatile architectural fixture designed for broad, controlled washes of light across walls, ceilings or ground surfaces. Ideal for façades, pathways, ceilings, landscape areas, commercial exteriors and hospitality spaces.

WATTAGES



20W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY





NOTE-02

A discreet wall-wash fixture that produces a wide, smooth spread of illumination while keeping the fitting visually minimal. Ideal for boundary walls, façades, pathways, architectural surfaces and outdoor corridors.

WATTAGES



20W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING




IP 65

BODY
COLOURS



DARK GREY

L152 X H155 X W32



5W-S-02



5W-02

PATCH-02

A compact recessed step light that provides precise, low-level illumination with a clean architectural finish. Ideal for staircases, pathways, corridors, decks, ramps and outdoor circulation areas.

WATTAGES



5W-S-02 |
5W-02

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



ALUMINIUM

92 x 92 x 72mm (5W-S-02) | 92 x 72mm (5W-02)

SUNK

A compact in-ground light designed to deliver controlled upward illumination while remaining discreet within the surface. Ideal for pathways, steps, landscape accents, columns and small architectural details.

WATTAGES



1W (12V (Driver Separate)) | 3W (220V (Driver Outside))

COLOR TEMPERATURE



3K / DC 12V

CRI



80+

IP RATING



IP 65

BODY COLOURS




ALUMINIUM

BEAM ANGLES




60° | 24°

CUTOUT



19MM WTH PIPE | 32MM WITH PIPE


W20 X H40MM (1W) | W35 X H67MM (3W)





SUNK

A higher-output in-ground uplight designed to highlight architectural and landscape elements with a focused beam. Ideal for façades, trees, pillars, entrance features, gardens and resort landscapes.





SUNK-DRAPE

A specialised in-ground fixture that creates a soft, elongated wash of light across vertical surfaces. Ideal for feature walls, textured façades, boundary walls, columns and architectural landscapes.

WATTAGES



7W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



STAINLESS STEEL

W75 X H76MM



W50 X H72MM

SUNK-BEAM

A precision in-ground light designed to produce a narrow, dramatic vertical beam for focused architectural highlighting. Ideal for tall façades, columns, trees, sculptures and statement landscape features.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



STAINLESS STEEL

BEAM
ANGLES



24°





W90 X H65 X L500MM | W90 X H74MM X L1000MM (1 MTR)

ARRAY-BURRIED

A linear buried fixture designed to deliver a wide, uniform wall wash from ground level while integrating seamlessly into the landscape. Ideal for large façades, boundary walls, hotel exteriors, monuments, landscapes and commercial architecture.

WATTAGES



12W | 36W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 67

BODY COLOURS




ALUMINIUM

BEAM ANGLES



10° x 30°





ARRAY

A powerful linear outdoor fixture designed to create a wide, uniform wash of light across architectural surfaces. Ideal for façades, boundary walls, landscape features, hotel exteriors and large architectural elevations.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS	BEAM ANGLES
					
8W / 12W-18W / 24W-36W 12W 48W	2K/ 3K/ 4K 2K/ 3K/ 4K 3K	80+	IP 65 IP65 IP68	ALUMINIUM	10° x 30°



LOWER W60 X H43 X UPPER W 21MM

PYRAMID

A compact, sculptural outdoor light with a focused beam that adds definition without overpowering the architecture. Ideal for pathways, gardens, landscape accents, columns and architectural details.

WATTAGES



3W

COLOR TEMPERATURE



3K

CRI




80+

IP RATING



IP 65

BODY COLOURS



WH

BK

BEAM ANGLES



20°



W10 X H25MM (3W) | W160 X H30MM (6W) | W220 X H35MM (12W)

EYELET-CIRCLE

A minimal circular wall light that produces a subtle linear wash while blending neatly into the surface. Ideal for façades, corridors, stairways, entrances, balconies and feature walls.

WATTAGES



3W | 6W |
12W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY



W100 X H38 X L100MM (Sq 3W) | W210 X H26MM X L109MM (Rect 6W) |

W220 X H35 X L220MM (Sq 12W)

EYELET

A sleek geometric wall fixture available in square and rectangular forms, designed for refined, controlled illumination. Ideal for residences, hotels, corridors, entrances, boundary walls and contemporary façades.

WATTAGES



3W- Square |
6W- Rectangle |
12W- Square

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY



3W-SQUARE



6W-RECTANGLE





W35 X H90MM

STRIPE

A compact architectural fixture designed to create fine lines of light that define edges and surfaces. Ideal for doorways, niches, steps, corridors, landscape details and architectural outlines.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



SANDY



DARK GREY



W45 X H55MM

SPINNER

A discreet recessed outdoor fixture that integrates neatly into architectural surfaces while delivering focused illumination. Ideal for landscapes, pathways, decks, steps, façades and accent lighting.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING




IP 65

BODY
COLOURS




BLACK

CUTOUT



35mm





W225 X H640 MM

HELIAN

A decorative landscape light with an organic, multi-head form that brings both character and functional illumination outdoors. Ideal for gardens, resort landscapes, lawns, courtyards and luxury residences.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY



BASE W52 X FULL HEIGHT 1600MM | TOP ACRYLIC W25 X H130MM

MAIZE

A slender, elegant landscape light designed to provide subtle illumination with minimal visual presence. Ideal for pathways, lawns, gardens, poolside areas, resorts and residential landscapes.

WATTAGES



4W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY

W100 x H520 MM

NEXA

A contemporary bollard with a clean cylindrical profile, designed to provide comfortable low-level outdoor illumination. Ideal for walkways, driveways, hotel entrances, gardens, residential landscapes and commercial exteriors.

WATTAGES



10W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY



W100 x H1500 MM

MAIZE TRIO

A sculptural three-stem landscape light that adds height, rhythm and a decorative glow to outdoor spaces. Ideal for resort gardens, lawns, landscaped entrances, courtyards and luxury residences.

WATTAGES



12W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY





W100 X H600 MM (20W) | W100 X H1200 MM (50W) | W100 X H1800 MM (50W)

BELGIAN

A clean cylindrical bollard with a broad illuminated body for soft, uniform ambient lighting. Ideal for pathways, driveways, hotel grounds, parks and large landscaped areas.

WATTAGES



20W S | 50W M |
50W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE
GREY





W110 X H240MM (10W S) | W110 X H590MM (10W B)

BAMBUSA

A contemporary bollard with a distinctive angled head that directs light while maintaining a minimal profile. Ideal for garden paths, residential landscapes, resorts, walkways and entrance areas.

WATTAGES



10W S | 10W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE GREY





W155 X H215 MM (12W S) | W155 X H620 MM (12W B)

AERUS

A sleek mushroom-profile bollard designed to cast comfortable downward illumination with minimal glare. Ideal for pathways, lawns, hotel landscapes, courtyards and residential gardens.

WATTAGES



12W S | 12W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE GREY





W165 X H265MM (12W S) | W165 X H555MM (12W B)

HEDGE

A robust architectural bollard with a broad top that provides controlled downward lighting around the fixture. Ideal for hedges, garden beds, pathways, driveways and commercial landscapes.

WATTAGES



12W S | 12W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE GREY





W135 X H255MM (12W S) | W135 X H570MM (12W B)

OYSTER

A refined, minimal bollard with a softly curved head, combining subtle design with functional landscape lighting. Ideal for resorts, gardens, pathways, poolside landscapes and premium residences.

WATTAGES



12W S | 12W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE GREY





W50 X H600MM (5W)

PLASMA

A slim cylindrical bollard with a concealed lighting detail that creates a sophisticated, understated effect. Ideal for modern residences, hotel entrances, pathways, courtyards and contemporary landscapes.

WATTAGES



5W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY



W100 X H300 MM (7W S) | W100 X H610 MM (7W B)

BISPORUS

Inspired by an organic mushroom-like form, Bisporus delivers soft downward illumination with a distinctive silhouette. Ideal for gardens, lawns, resorts, pathways and landscaped hospitality spaces.

WATTAGES



7W S |
7W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE
GREY





W166 X H800 MM (20W S) | W166 X H500MM (20W M) | W166 X H800 MM (20W B)

CROWN

A contemporary bollard with a recessed illuminated head that provides controlled, glare-conscious lighting. Ideal for walkways, driveways, hotel exteriors, commercial landscapes and luxury residential projects.

WATTAGES



20W S | 20W M
20W B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 54

BODY COLOURS



GRAPHITE
GREY





W100 X H235 MM (6W S) | W100 X H600MM (6W B)

PYLON

A structured architectural bollard with a geometric open-frame design that adds character while providing functional illumination. Ideal for pathways, landscaped gardens, resorts, driveways and commercial exteriors.

WATTAGES



6W S | 6W B

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY





W100 X H1000 MM (5W)

GENUS

A slender, curved outdoor light with a contemporary silhouette designed for subtle downward illumination. Ideal for garden paths, lawns, poolside areas, resorts and residential landscapes.

WATTAGES



5W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY



W90 X H425MM | EXTENDED H605MM

TELESCOPE

A minimal cylindrical bollard with an extendable design, offering flexibility in height and lighting placement. Ideal for pathways, gardens, hotel landscapes, entrances and outdoor circulation areas.

WATTAGES



10W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY



EXTENDABLE



W105 X H200 X BASE W110MM (10W S) | W105 X H600 X BASE W150MM (10W B)

VOID

A distinctive bollard with a sculptural recessed light source that creates controlled, glare-conscious illumination. Ideal for luxury residences, pathways, resorts, courtyards and landscaped spaces.

WATTAGES



10W - S |
10W - B

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE
GREY



W82 X H635MM X BASE W150MM (25W) | W105 X H1200 X BASE W165 (38W)

FINIX

A tall illuminated bollard designed to deliver broad, soft ambient light while maintaining a clean architectural profile. Ideal for large pathways, driveways, parks, hotel grounds and public landscapes.

WATTAGES



25W | 38W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY





W162 X H600MM (Relic 7W- BOLLARD)

RELIC-B

A decorative bollard with a refined angular head that directs light downward for comfortable outdoor illumination. Ideal for gardens, pathways, hospitality landscapes and premium residential projects.

WATTAGES



7W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY

W103 X H25MM (6W)

BEAK

A compact architectural wall light that creates a focused lighting effect from a minimal form. Ideal for façades, entrance walls, corridors, balconies and outdoor feature walls.

WATTAGES



6W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



GRAPHITE
GREY



W65 X H74 X L152MM (8W) | W87 X H84 X L209MM (14W)

PADDLE

A slim wall-mounted fixture designed to add understated illumination without visually dominating the architecture. Ideal for residential exteriors, hotel façades, pathways, balconies and entrance walls.

WATTAGES



8W | 14W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE GREY





DAM

A compact recessed-style wall light that casts a soft downward wash, combining wayfinding with architectural ambience. Ideal for staircases, pathways, boundary walls, corridors and landscape walls.

W86 X H52 X L86MM

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS		CUTOUT
						
3W	3K	80+	IP 65	WH	GRAPHITE GREY	80 X 80MM

ORB

A compact spike light with a rounded form, designed for discreet and flexible landscape illumination. Ideal for plants, shrubs, trees, garden beds and landscape accents.

W65 X H95MM

WATTAGES



7W-SPIKE

COLOR TEMPERATURE



3K / 4K / 6K

CRI




80+

IP RATING




IP 65

BODY COLOURS



WH BK

CUTOUT



53MM



W45 X H57 X L161MM (3W) | W63 X H93 X L130MM (7W) | W63 X H93 X L130MM (12W)

TRINITY WITH HOOD

An adjustable hooded spike light that provides precise, controlled illumination while reducing unwanted glare. Ideal for trees, sculptures, façades, garden features and landscape highlighting.

WATTAGES



3W | 7W | 12W

COLOR TEMPERATURE



3K / 4K / 6K

CRI



80+

IP RATING



IP 65

BODY COLOURS



GRAPHITE GREY

BEAM ANGLE



20°



W35 X H55 X L110MM (2W) | W34 X H55 X L110MM (6W) | W50 X H89 X L171MM (12W) | W60 X H90 X L153MM (24W)

WATCHER

A versatile outdoor spotlight with adjustable beam options for precise directional illumination. Ideal for façades, trees, signage, sculptures, architectural features and large landscape elements.

WATTAGES



2W | 6W |
12W | 24W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS




DARK GREY

BEAM ANGLE



15° / 24° /
36°





W104 X 58MM (3W) | W210 X H60MM (6W)

STRIDE-CONCEAL

A discreet recessed wall light designed to deliver clean, glare-controlled illumination while integrating seamlessly into the architecture. Ideal for staircases, pathways, corridors, boundary walls and outdoor steps.

WATTAGES



3W | 6W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING





IP 65

BODY
COLOURS



DARK GREY






CAVITY

A compact architectural wall light available in square and circular forms, creating a soft downward wash with a minimal profile. Ideal for façades, balconies, entrance walls, pathways, resorts and residential exteriors.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS
				
SQ 5W CIRCLE 5W SQ 7W CIRCLE 7W	3K	80+	IP 65	DARK GREY



W35 X H90 X L200MM

CAVITY- RECTANGLE

A wider rectangular wall light that spreads soft, uniform illumination across the surface below while maintaining a sleek architectural look. Ideal for hotel exteriors, entrance walls, corridors, pathways, terraces and large façades.

WATTAGES



8W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY
COLOURS



DARK GREY





W70 X H13 X L50MM

TROTTER

A compact wall-mounted light that delivers a soft, focused downward beam from a clean minimal form. Ideal for pathways, staircases, balconies, entrance walls and residential exteriors.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI




80+

IP RATING



IP 65

BODY
COLOURS



WH

BK

BEAM
ANGLES



90°





W85 X H40 X L85MM

VENT

A discreet recessed wall light designed to integrate neatly into the architecture while providing gentle directional illumination. Ideal for steps, corridors, pathways, boundary walls and outdoor circulation areas.

WATTAGES



3W

COLOR
TEMPERATURE



3K

CRI



80+

IP RATING




IP 65

BODY
COLOURS



DARK GREY

CUTOUT



C W/O BOX 63MM |
WITH BOX : 66MM



TURBINE

A powerful adjustable outdoor spotlight designed for focused illumination and flexible aiming. Ideal for landscapes, trees, façades, signage, sculptures and architectural features.

W70 X H110 X L150MM (WITH FRONT GLASS & BRACKET)

WATTAGES



12W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS



DARK GREY



TOSS

A compact surface-mounted light with a simple circular profile and soft downward illumination. Ideal for covered outdoor areas, balconies, entrances, porches and exterior ceilings.

W58 X H17MM

WATTAGES



3W

COLOR TEMPERATURE



3K

CRI




80+

IP RATING



IP 65

BODY COLOURS



WH

BK

BEAM ANGLES



90°



CAN-01

A cylindrical surface-mounted fixture that provides controlled, focused downward lighting in a clean architectural form. Ideal for entrances, balconies, corridors, canopies and outdoor hospitality spaces.

WATTAGES



7W | 12W | 20W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS




DARK GREY

W64 X H102MM (7W) | W90 X H100MM (12W) | W90 X H145MM (20W)



CAN-02

A refined cylindrical downlight with multiple beam options for greater control over the lighting effect. Ideal for hotel entrances, covered walkways, balconies, terraces and commercial exteriors.





6W (6W X 1)




12W (6W X 2)

CLIFF

A compact wall light creating a striking up-and-down beam effect that adds depth to exterior surfaces. Ideal for façades, columns, entrance walls, balconies and boundary walls.

W75 X H73 X L63MM (6W (6W X 1)) | W75 X H73 X L68MM (12W (6W X 2))





SLATE

A contemporary rectangular wall light that produces defined upward and downward illumination for a strong architectural effect. Ideal for residences, hotels, restaurants, façades and entrance walls.

WATTAGES



4W | 8W

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS




DARK GREY

W28 X H90 X L115M (4W) | W174 X H28 X L90MM (6W)



SUBWAY

A minimal cylindrical wall fixture offering clean up-and-down illumination without overpowering the architecture. Ideal for corridors, pathways, façades, balconies, entrances and exterior walls.



6W (6W X 1)

12W (6W X 2)



W110 X H166 X L160MM (20W) | W90 X H160MM (12W) | W60 X H160MM (10W) | W60 X H82 X L75MM (6W) | W60 X H123 X L130MM (10W) | W60 X H123 X L130MM (10W) | W60 X H123 X L130MM (10W)

SCOPE- ONE WAY

A compact cylindrical wall light designed to cast a controlled downward beam with a clean architectural appearance. Ideal for façades, pathways, entrance walls, balconies, corridors and residential exteriors.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS
				
6W 10W 12W 20W	3K	80+	IP 65	DARK GREY




6 W | 10W



12 W | 20W





SCOPE- UP & DOWN

A sleek wall-mounted fixture that creates balanced beams above and below for a striking architectural lighting effect. Ideal for façades, columns, entrance walls, boundary walls and hospitality exteriors.

WATTAGES	COLOR TEMPERATURE	CRI	IP RATING	BODY COLOURS
				
12W (6W X 2) 20W (10W X 2) 24W (12W X 2) 40W (20W X 2)	3K	80+	IP 65	DARK GREY




12 W | 20W



24 W | 40W

HIVE

A versatile spike spotlight with an adjustable head for precise landscape illumination and focused highlighting. Ideal for trees, shrubs, sculptures, garden features, façades and landscaped areas.



ORBIX

A discreet architectural light designed to sit close to the surface and produce a soft, controlled wash of light. Ideal for pathways, steps, boundary walls, corridors, landscape edges and low-level architectural lighting.

65 x 93 mm (2W) | 65 x 93mm (3W)

WATTAGES



2W (ONE WAY) |
3W (TWO WAY)

COLOR TEMPERATURE



3K

CRI



80+

IP RATING



IP 65

BODY COLOURS




DARK GREY



ONE WAY



TWO WAY



trueTM

Pure Performance

TRUE LIGHT IMPEX LLP

 Unit no. 15, Sethia industrial park, Opp. D-mart, N. highway,
Sativli, Vasai (E), Dist. Palghar - 401 208

 +91 79775 99036

 sales@truelight.co.in



@trueledlight



@trueledlight



www.truelight.co.in